



Drilling Results - Guayabales Project

Apollo Target

Status: Drilling Underway (Multiple Rigs)

Initial Discovery Announced: June 22, 2022

Highlights include:

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC-1	1	291.6	379.4	87.8	0.88	61	0.39	0.07	0.05	0.001		2.49	1.21
APC1-W	1	293	382.4	89.4	0.89	58	0.39	0.07	0.06	0.001		2.46	1.25
APC-2	2	154.7	361.9	207.15	1.46	45	0.31	0.08	0.05	0.002		2.68	1.37
incl		192.5	209.9	17.4	6.57	44	0.08	0.29	0.23	0.003		7.33	
		270.6	291.6	20.95	3.67	68	0.41	0.03	0.03	0.002		5.21	
APC-3	3	303.4	484	180.6	1.52	39	0.16	0.13	0.11	0.001		2.43	
APC-4	2	132.3	149.8	17.5	12.79	21	0.03	0.11	0.05	0.001		12.61	
APC-5	2	210.25	478.25	268	0.89	22	0.13	0.11	0.07	0.002		1.5	
APC-6	3	364.6	690.65	326.05	0.85	10	0.04	0.04	0.02	0.001		1.07	
incl		480.15	631.65	151.5	0.96	11	0.04	0.06	0.03	0.001		1.2	
		680.1	690.65	10.55	4.67	7	0.05	0.01	0	0		4.64	
APC-7	1	85.65	111.2	25.55	0.4	23	0.02	0.08	0.04	0.002		0.69	
incl		110.1	111.2	1.1	5.62	158	0.05	1.28	0.8	0.009		7.48	
and		199.85	238.25	38.4	1.3	21	0.04	0.05	0.03	0		1.51	
APC-8	2	202	467.75	265.75	1.26	55	0.22	0.07	0.05	0.045		2.44	1.24
incl		202	215.2	13.2	3.68	27	0.03	0.32	0.24	0.238		4.29	
		239.05	257.5	18.45	3.48	53	0.12	0.24	0.22	0.216		4.55	
		279.4	307.85	28.45	3.7	24	0.16	0.03	0.02	0.016		4.18	
		342.6	358.1	15.5	2.15	158	0.47	0.13	0.1	0.104		5.21	
APC-9	1	No Significant Values											
APC-10	3	No Significant Values											
APC-11	2	55	55.6	0.6	7.73	28	0.02	0.07	0.47	0.001		8.02	
		157.55	158.1	0.55	1.88	61	0.06	0.58	0.68	0.001		3.48	
		160	161.2	1.2	2.89	113	0.07	0.74	1.49	0.001		5.64	
		173.6	174.25	0.65	5.95	18	0.02	0.14	0.17	0.002		6.13	
		231	231.65	0.65	11.8	12	0.01	0.54	0.13	0.001		11.9	
		234.7	235.45	0.75	2.42	50	0.02	0.14	0.89	0.001		3.51	
		237.1	238.45	1.35	4.22	11	0.02	0.08	0.08	0.001		4.3	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC-12	4	191.35	429.05	237.7	1.15	72	0.38	0.08	0.07	0.001		2.88	1.47
	incl	209.7	224	14.3	4.01	77	0.21	0.27	0.26	0.001		5.58	
		339.55	361.3	21.75	3.84	210	0.68	0.37	0.45	0.001		8.27	
		416.9	429.05	12.15	3.64	84	0.22	0.04	0.06	0.001		5.09	
APC-13	2	126.4	143.2	16.8	4.24	19	0.01	0.24	0.21	0.001		4.6	
	incl	128.95	132.85	3.9	9.73	34	0.02	0.46	0.32	0		10.25	
		141.2	143.2	2	15.54	65	0.02	1.03	1.1	0.001		16.99	
APC-14	3	84.25	131.7	47.45	0.81	13	0.2	0.01	0	0.003		1.36	0.7
		197	391.3	194.3	0.39	56	0.44	0.03	0.01	0.002		2	1.02
APC-15	3	54.2	110.25	56.05	0.37	5	0.01	0.01	0	-		0.57	
	incl	180.95	181.65	0.7	13.29	9	-	0.01	0.01	-		12.81	
	and	206.95	207.5	0.55	7.87	5	-	0.01	0	-		7.61	
APC-16	4	No Significant Values											
APC-17	3	118.2	190.5	72.3	1	28	0.63	0.02	-	0.004		2.57	1.31
	incl	121.9	130.4	8.5	2.42	30	0.61	0.03	-	0.005		3.91	2
	and	365.15	912.8	547.65	0.76	14	0.04	0.06	0.04	0.001		1.03	
	incl	816	837.5	21.5	1.53	28	0.09	0.04	0.02	0.001		2.04	
APC-18	4	136.05	304.65	168.6	0.98	69	0.5	0.04	0.03	0		2.91	1.48
	incl	149.2	157	7.8	5.08	35	0.52	0.02	-	0		6.34	3.23
		193.2	205.1	11.9	2.18	154	0.77	0.18	0.2	0		5.81	2.97
		233.9	251.5	17.6	1.49	56	0.74	0.05	0.02	0		3.63	1.85
		291.65	297	5.35	3.26	10	0.11	0.01	-	0		3.47	1.77
APC-19	4	199.2	497.8	298.6	0.48	34	0.31	0.04	0.02	0		1.54	0.79
	incl	199.2	323.5	124.3	0.62	64	0.63	0.05	0.02	0		2.72	1.39
		491.3	497.8	6.5	2.33	26	0.04	0.08	0.06	0		2.69	
APC-20	5	298.2	400.4	102.2	2.72	28	0.08	0.21	0.15	0		3.38	
	incl	324.25	357.85	33.6	6.3	45	0.08	0.42	0.33	0		7.3	
		396.6	400.4	3.8	4.16	13	0.12	0.01	-	0.001		4.39	
APC-21	3	No Significant Values											
APC-22	3	89.25	136.5	47.25	4.65	22	0.39			0.003		5.45	
		167	183.8	16.8	2.59	79	0.5			0.002		4.56	
	and	308.8	734.8	426	1.05	23	0.08			0.001		1.51	
	incl	406.15	471	64.85	3.16	33	0.08			0.001		3.67	
		568.1	593.9	25.8	2.23	25	0.05			0.001		2.59	
		665.85	681.4	15.55	1.59	26	0.07			0.001		2.04	
APC-23	5	311.35	383.05	71.7	0.86	10	0.02			0.001		1.01	
		359.1	376.4	17.3	1.47	14	0.004			0.001		1.69	
APC-24	4	101	151.6	50.6	1.15	10	0.02			0.001		1.28	
	incl	110.05	120.2	10.15	2.19	8	0.01			0.003		2.25	
		128.75	134.75	6	2.04	11	0.02			0.001		2.15	
	and	316.25	317.65	1.4	4.85	26	0.08			0.001		5.15	
APC-25	3	73	179.85	106.85	0.81	30	0.62			0.003		2.31	1.26
	Incl.	111	125	14	2	35	0.75			0.005		3.65	2



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC-26	4	415	726.2	311.2	0.74	16	0.05			0.001		1.04	
incl.		415	551.9	136.9	1.14	20	0.06			0.001		1.51	
APC-27	3	299.5	372.4	72.9	0.3	6	0.02			0.002		0.44	
APC-28	2	286.6	305.55	18.95	1.11	12	0.04			0.001		1.3	
and		354.7	956.35	601.65	0.89	24	0.1			0.001		1.4	
Incl		354.7	614.65	259.95	1.21	43	0.2			0.001		2.15	
		713.1	772.8	59.7	2.04	15	0.14			0.04		2.23	
		863.15	868.8	5.65	2	13	0.04			0.001		2.17	
APC-29	3	111.3	143.3	32	9.23	60	0.44			0.003		10.48	
and		194.8	203.45	8.65	0.57	82	0.27			0.001		2.26	
and		343.8	644.8	301	0.63	14	0.05			0.001		0.9	
Incl.		343.8	558.2	214.4	0.77	14	0.05			0.001		1.04	
Incl.		460	558.2	98.2	1.26	15	0.04			0.001		1.51	
APC-30	4	267.6	586.25	318.65	0.61	19	0.12			0.002		1.1	
Incl		267.6	328.4	60.8	0.17	48	0.4			0.002		1.64	
		472.3	553.7	81.4	1.95	18	0.04			0.002		2.22	
APC-31	6	4.9	389.6	384.7	1.17	43	0.37			0.02		2.46	
Incl		4.9	325.7	320.8	1.34	49	0.44			0.02		2.84	
		4.9	114.7	109.8	3.15	45	0.25			0.01		4.14	
		4.9	47.25	42.35	4.81	23	0.09			0.001		5.08	
APC-33	6	6.65	381.35	374.7	0.85	53	0.34			0.002		2.22	1.21
Incl		6.65	49.5	42.85	3.87	40	0.12			0.001		4.5	
APC-35	6	7	366.15	359.15	1.84	48	0.48			0.002		3.32	1.82
Incl		7	42.3	35.3	7.96	22	0.09			0.001		8.06	
		318.3	366.15	47.85	5.47	19	0.05			0.002		5.58	
APC-36	7	2.8	113.2	110.4	1.73	9	0.14			0.004		2.08	1.11
Incl**		2.8	22.35	19.55	2.57	11	0.11			0.002		2.86	
		102.05	113.2	11.15	6.84	14	0.28			0.006		7.36	
APC-38	7	-	169.95	169.95	1.36	19	0.32			0.002		2.15	1.15
Incl**		-	20.95	20.95	3.12	2	0.1			0.002		3.24	
		156.6	169.95	13.35	2.28	32	0.63			0.002		3.74	
APC-39	6	8	284.3	276.3	2.12	36	0.22			0.001		2.95	1.57
Incl**		8	41	33	4.44	26	0.11			0.001		4.87	
		75.8	93.55	17.75	2.84	36	0.4			0.001		3.94	
		185.8	196.95	11.15	3.55	18	0.04			0.001		3.78	
APC-40	7	1.5	170.75	169.25	1.93	19	0.38			0.003		2.81	1.5
Incl**		1.5	18.25	16.75	2.9	16	0.18			0.002		3.37	
		18.25	30.2	11.95	9.45	8	0.16			0.002		9.57	
		87.85	132.7	44.85	2.58	30	0.61			0.005		3.99	
APC-41	6	1.65	83.7	82.05	2.81	13	0.1			0.002		3.09	1.65
Incl**		1.65	29.7	28.05	3.44	15	0.07			0.001		3.67	
		83.7	140.7	57	0.24	3						0.34	
APC-42	6	0	104.8	104.8	4.21	68	0.3			0.001		5.56	2.97
Incl**		0	44.55	44.55	6.48	37	0.1			0.001		6.99	
		84.8	104.8	20	6.26	24	0.1			0.002		6.59	
APC-42		106.95	126.3	19.35	0.26	3						0.33	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC-43	7	-	271.3	271.3	2.37	23	0.42			0.002		3.35	1.79
Incl**		-	19.3	19.3	4.02	6	0.16			0.002		4.28	
		19.3	51.6	32.3	4.39	9	0.14			0.004		4.65	
		127.8	144.7	16.9	4.02	17	0.32			0.002		4.71	
		214.7	256.75	42.05	5.07	12	0.11			0.002		5.29	
APC-44	6	2	430.2	428.2	0.61	29	0.24			0.002		1.41	0.75
Incl**		2	39.55	37.55	1.81	14	0.1			0.001		2.13	
Incl		2	21.95	19.95	2.84	13	0.07			0.001		3.07	
and		148.25	166.5	18.25	3.02	83	0.65			0.002		5.21	
APC-45	7	-	162.2	162.2	2.59	29	0.56			0.003		3.9	2.08
Incl		-	17.05	17.05	3.13	16	0.13			0.001		3.5	
		17.05	54	36.95	4.93	7	0.11			0.003		5.08	
		127.9	155	27.1	4.2	54	1.09			0.003		6.7	
APC-47	4	21	49.25	28.25	0.77	10						0.93	
		100.95	108.75	7.8	0.92	8						1.03	
APC-46	6	5.75	363.75	358	0.55	31	0.32			0.002		1.52	0.81
Incl**		5.75	34	28.25	2.06	22	0.1			0.001		2.48	
incl		5.75	25	19.25	2.65	24	0.05			0.001		3.01	
and		153.05	213.6	60.55	1.13	48	0.53			0.002		2.69	
and		418.45	425.6	7.1	0.8	4	0.02			0.002		0.88	
APC-47	4	226.8	534.4	307.6	1.4	53	0.25			0.001		2.53	1.35
Incl		233.15	261.5	28.35	3.84	65	0.24			0.001		5.06	
		354.4	372.2	17.8	4.19	42	0.09			0.001		4.81	
		396	413.1	17.1	5.19	90	0.19			0.001		6.62	
APC-48	7	-	236.7	236.7	0.9	11	0.17			0.003		1.35	
Incl		-	114.4	114.4	1.71	15	0.29			0.003		2.38	1.27
		-	12.4	12.4	1.27	10	0.15			0.002		1.65	
		13.15	31.4	18.25	5.9	17	0.2			0.002		6.32	
And incl		128.1	236.7	108.6	0.16	8	0.06			0.004		0.4	
APC-50	9	53.3	191	137.7	0.74	52	0.66			0.002		2.6	1.39
incl		64.95	93.5	28.55	0.87	79	0.93			0.003		3.55	
and incl		180.7	187.7	7	2.74	9	0.05			0.002		2.9	
APC-51	9	163.3	275.85	112.55	1.27	22	0.41			0.002		2.26	1.2
incl		198.25	219.35	21.1	1.5	39	0.72			0.002		3.25	
and incl		260.8	275.85	15.05	2.72	13	0.14			0.002		3.08	
APC-52	10	1.9	192.2	190.3	1.19	43	0.41			0.001		2.46	1.31
incl		56.95	91	34.05	4.73	26	0.12			0.001		5.16	
and incl		157	182.8	25.8	0.46	138	0.75			0.002		3.76	
APC-53	10	0	145	145	1.79	22	0.03			0.001		2.11	
incl		21	58.3	37.3	2.91	15	0.02			-		3.06	
and incl		89.4	114.8	25.4	3.03	52	0.07			0.002		3.8	
and incl		129	144.4	15.4	2.96	24	0.04			0.001		3.28	
and		232.95	562.7	329.75	2.3	42	0.16			0.001		3.1	
Incl		277.65	334.25	56.6	8.58	97	0.21			0.001		10.05	
		410.7	429.8	19.1	3.08	19	0.04			-		3.32	



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC-49	6	5.65	852.9	847.25	0.64	16	0.14			0.001		1.09	
incl		5.65	28.55	22.9	1.13	11	0.06			0.001		1.36	
and incl		76.6	240.6	164	0.44	40	0.47			0.002		1.77	
and incl		253.8	293.85	40.05	0.25	32	0.46			0.001		1.46	
and incl		443.85	466.1	22.25	1.14	12	0.03			0.002		1.36	
and incl		491.45	533.8	42.35	2.65	11	0.03			0.001		2.78	
and incl		559.1	585.2	26.1	1.49	12	0.04			0		1.68	
and incl		625.6	656.55	30.95	1.8	20	0.04			0.001		2.12	
and incl		837.05	852.9	15.85	0.44	3	0.01			0.002		0.52	
APC-55	6	0	792.25	792.25	0.88	39	0.18			0.001		1.71	
incl		0	48.8	48.8	2.93	15	0.1			0.002		3.23	
and incl		49.55	80.45	30.9	1.99	14	0.13			0.001		2.35	
and incl		96	145.55	49.55	1.79	65	0.15			0.002		2.93	
and incl		184.7	206.25	21.55	2.97	38	0.14			0.001		3.66	
and incl		364.15	395.2	31.05	1.56	47	0.12			0		2.37	
and incl		431.75	453.4	21.65	1.75	36	0.09			0.001		2.36	
and incl		591.5	608	16.5	1.99	22	0.05			0.001		2.34	
APC-54	9	358.1	409.25	51.15	1.46	13	0.1			0.003		1.79	
incl		390.65	409.25	18.6	1.3	25	0.2			0.004		2	
and		490.05	583.25	93.2	0.33	10	0.12			0.002		0.69	
incl		541.8	569.2	27.4	0.53	18	0.21			0.002		1.12	
and		627.9	629.75	1.85	0.1	24	0.22			0.003		0.82	
APC-56	10	-	116.3	116.3	0.71	11	0.02			0.002		0.89	
incl		-	30.25	30.25	1.03	14	0.01			-		1.23	
and incl		88.95	100.45	11.5	1.8	21	0.02			0.003		2.11	
and		144.35	233.15	88.8	0.41	6	0.02			0.001		0.52	
and		311.5	389	77.5	0.52	6	0.01			0.001		0.62	
incl		365.45	384.35	18.9	1.15	8	0.01			-		1.25	
APC-57													
APC-58	10	-	270.75	270.75	1.08	34	0.35			0.002		2.11	
incl		-	51	51	1.98	10	0.05			0.001		2.16	
and incl		117.8	171.8	54	0.56	76	0.74			0.002		2.83	
and incl		220.7	234.9	14.2	2.39	18	0.05			0.003		2.68	
and incl		247.65	266.95	19.3	1.9	17	0.11			0.002		2.3	
APC-59	10	-	163.25	163.25	1.76	38	0.23			0.003		2.66	
incl		-	24.75	24.75	2.62	36	0.06			0.002		3.16	
and incl		46.2	72.6	26.4	0.76	80	0.7			0.003		3.04	
and incl		83.3	102.3	19	8.47	36	0.22			0.003		9.1	
APC-60	9	41.6	599.45	557.85	0.74	59	0.33			0.001		2.1	
and incl		149.4	391.2	241.8	0.63	109	0.67			0.001		3.25	
and incl		409.3	430.7	21.4	3.64	47	0.13			0.001		4.41	
and incl		593	599.45	6.45	0.67	34	0.11			0.001		1.33**	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC-61	6	0	217.55	217.55	0.97	51	0.41			0.002		2.35	
incl		130.55	148.2	17.65	2.15	162	0.83			0.003		5.76	
and incl		160.05	187.55	27.5	2.8	28	0.32			0.002		3.65	
APC-62	10	0	161.3	161.3	1.13	61	0.45			0.002		2.71	
Incl		26.45	60.05	33.6	4.21	34	0.2			0.002		4.91	
and		203.6	237.6	34	1.87	28	0.42			0.002		2.92	
Incl		204.8	220.9	16.1	2.58	30	0.56			0.003		3.87	
APC-63		-	593.65	593.65	1.46	15	0.03			0.001		1.69	
Incl		-	353.1	353.1	1.16	15	0.02			0.002		1.39	
and incl		353.1	593.65	240.55	1.9	15	0.03			0.001		2.12	
APC-64		33.4	484.8	451.4	1.48	57	0.26			0.001		2.67	
Incl		34.65	133.15	98.5	3.13	16	0.05			0.001		3.36	
and incl		309.4	380.35	70.95	2.05	104	0.38			0.001		4.1	
APC-66		245.15	267.4	22.25	0.28	12	0.04			-		0.51	
And		292.5	393.55	101.05	0.62	14	0.04			0.001		0.87	
Incl		348.1	362.25	14.15	0.89	19	0.04			0.001		1.21	
and incl		384	393.55	9.55	2.27	39	0.1			0.005		2.96	
APC-67		109.25	162.8	53.55	1.13	11	0.02			0.002		1.31	
Incl		112.2	136.85	24.65	2.21	19	0.03			0.002		2.47	
APC-65	10	-	503.25	503.25	1.55	23	0.1			0.001		2	
Incl		126.9	183.55	56.65	4.75	9	0.02			0.001		4.78	
and Incl		282	307.85	25.85	1.94	63	0.29			0.001		3.26	
and Incl		325.6	389.8	64.2	1.95	30	0.06			0.001		2.42	
and Incl		423.1	465.45	42.35	3.12	21	0.04			0.001		3.41	
APC-68	1	76.5	122	45.5	0.82	18	0.03			0.005		1.14	
Incl		76.5	79.4	2.9	10.05	52	0.02			0.002		10.55	
and Incl		98.15	98.9	0.75	4.47	270	0.06			0.004		8.33	
and Incl		105.05	106.05	1	0.73	132	0.05			0.008		2.75	
and Incl		112.65	114.8	2.15	0.65	55	0.02			0.005		1.49	
APC-69	10	0.3	78.65	78.35	1.12	13	0.02			0		1.32	
Incl		55	60.65	5.65	5.33	84	0.04			0.001		6.44	
and		221.4	299.7	78.3	0.64	8	0.05			0		0.82	
Incl		257.7	265.4	7.7	1.61	29	0.23			0		2.35	
APC-71	5	6	96.75	90.75	0.1	23	0.04			0.003		0.53	
Incl		70.2	96.75	26.55	0.29	64	0.04			0.004		1.3	
and		131.95	189	57.05	0.54	10	0.02			0		0.7	
Incl		131.95	148.9	16.95	1.21	24	0.04			0		1.58	
APC-72	10	2	521.1	519.1	2.12	36	0.1			0.001		2.74	
incl		2	229.75	227.75	1.49	21	0.05			0.001		1.84	
and incl		230.3	521.1	290.8	2.62	47	0.14			0.001		3.45	
APC-73	3	114.3	194	79.7	0.29	9	0.05			0.003		0.53	
Incl		152.65	172.35	19.7	0.59	18	0.06			0.002		0.96	
and		290.75	344.15	53.4	0.18	9	0.12			0.003		0.52	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC-74	5	33.95	62.3	28.35	0.74	31	0.06			0.002		1.28	
Incl		33.95	47.4	13.45	1.15	44	0.09			0.002		1.9	
and		272.2	494.55	222.35	1.61	25	0.09			0.001		2.07	
Incl		272.2	325.8	53.6	0.73	19	0.07			0.001		1.09	
and Incl		325.8	494.55	168.75	1.89	27	0.09			0.002		2.38	
APC-75	3	7	116.15	109.15	0.27	6	0.05			0.002	0.01	0.46	
Incl		109.75	116.15	6.4	3.42	9	0.04			0.003	-	3.54	
and		302.25	337.05	34.8	0.23	21	0.06			0.005	-	0.66	
Incl		333.4	335.1	1.7	3.87	351	0.07			0.003	-	9.21	
APC-76	5	Hole abandoned due to technical issues											
APC-77	3	52.4	88.5	36.1	0.08	10	0.07			0.003	-	0.36	
APC-79	3	No significant interval; drilled outside the Apollo intrusion											
APC-80	12	119.9	250.35	130.45	1.3	33	0.19			0.001	0.03	2.17	
Incl		139	155.3	16.3	2.72	23	0.05			0.002	0.01	3.11	
and Incl		159.05	173.1	14.05	0.87	55	0.16			0.002	0.26	2.76	
and Incl		213.5	250.35	36.85	2.57	16	0.13			0.001	-	2.95	
APC-82	12	70	105.8	35.8	0.46	8	0.01			-	-	0.58	
and		132.35	231.1	98.75	1.27	52	0.39			-	0.03	2.71	
Incl		152.2	175.05	22.85	1.27	22	0.06			-	0.02	1.69	
and Incl		175.05	204.65	29.6	1.81	82	0.75			0.001	0.09	4.43	
and Incl		204.65	231.1	26.45	1.42	79	0.54			0.001	0.01	3.42	
APC-84	12	120	173.7	53.7	0.51	10	0.02			0.001	-	0.67	
Incl		147.5	166.2	18.7	1.05	15	0.02			0.001	-	1.29	
and		257.6	269.25	11.65	0.93	5	0.03			0.002	0.01	1.08	
APC-70	1	83.3	106	22.7	0.71	23	0.03			0.008	-	1.15	
Incl		83.3	86.55	3.25	4.78	104	0.03			0.002	-	6.19	
APC70-D1	1	229.3	428.7	199.4	1.46	11	0.04			0.001	-	1.65	
Incl		229.3	251.6	22.3	1.82	31	0.08			0.002	-	2.36	
and Incl		281.4	314.3	32.9	2.17	11	0.03			0.002	-	2.32	
and Incl		341.1	372.9	31.8	1.67	9	0.03			0.001	-	1.81	
and Incl		402.2	428.7	26.5	3.41	7	0.04			0.001	-	3.48	
and		488.15	513.85	25.7	1.27	4	0.03			0.004	-	1.36	
APC70-D2	1	15	26.7	11.7	1.38	10	0.02			0	-	1.52	
and		181.4	187.3	5.9	1.25	34	0.04			0	-	1.77	
and		213.1	381.3	168.2	1.14	11	0.03			0.001	-	1.32	
Incl		240	261.35	21.35	2.83	20	0.04			0.001	-	3.1	
and incl		296.9	324.2	27.3	2.32	16	0.04			0.001	-	2.55	
and incl		366	381.3	15.3	1.44	10	0.05			0.001	-	1.64	



Drilling Results - Guayabales Project

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC70-D3	1	7.45	12.55	5.1	3.23	11	0.02			0	-	3.33	
and		106.45	134.9	28.45	0.48	6	0.01			0	-	0.58	
and		245.5	414.3	168.8	1.59	14	0.03			0.002	-	1.82	
Incl		247.95	269.6	21.65	1.79	30	0.06			0.001	-	2.27	
and Incl		305.5	414.3	108.8	2	14	0.03			0.002	-	2.21	
and		476.4	481.1	4.7	0.99	28	0.01			0.002	-	1.4	
APC70-D4	1	45.25	51.3	6.05	1.9	35	0.1			0.002	-	2.52	
and		119.35	123.6	4.25	13.87	60	0.02			0	-	14.34	
and		192	197.8	5.8	5.35	19	0.02			0	-	5.5	
and		268.55	658	389.45	1.17	11	0.03			0.001	-	1.36	
Incl		279.2	308.45	29.25	2.18	30	0.05			0	-	2.62	
and Incl		456.25	540.5	84.25	1.64	16	0.03			0.001	-	1.88	
and Incl		579.9	592.25	12.35	1.7	14	0.03			0.001	-	1.92	
and Incl		636.2	658	21.8	4.4	8	0.02			0	-	4.41	
APC70-D5	1	17.1	116.3	99.2	0.51	7	0.02	-				0.62	
Incl		84.3	115.65	31.35	1.24	10	0.01	-				1.37	
and		223.6	751	527.4	0.86	7	0.03	0.001				1	
Incl		239.4	268.9	29.5	1.19	12	0.04	-				1.46	
and incl		278.75	308	29.25	1.23	14	0.03	-				1.45	
and incl		404	437.6	33.6	1.12	15	0.06	-				1.41	
and incl		603.6	710.6	107	2.02	6	0.02	0.001				2.09	
APC70-D6	1	75.15	217	141.85	0.78	12	0.04	0.001				1	
Incl		75.8	107.55	31.75	1.2	13	0.03	-				1.4	
and incl		123.1	165.35	42.25	1.24	18	0.04	0.001				1.54	
		<i>From 217.00m hole abandoned before reaching target depth</i>											
APC-86	13	53	143.3	90.3	1.65	10	0.03	0.001				1.81	
Incl		53.7	65.9	12.2	1.57	13	0.02	-				1.75	
and incl		73.6	104.9	31.3	3.86	18	0.03	0.001				4.07	
APC-89	13	5.8	115.4	109.6	0.79	9	0.02	-				0.93	
Incl		77.7	105	27.3	1.84	11	0.02	-				1.98	
and		146.4	153	6.6	0.92	12	0.01	-				1.09	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC-90D Mother Hole	15	86.1	118.3	32.2	0.77	49	0.02	0.001				1.5	
and		239.35	342.7	103.35	0.23	4	0.01	-				0.32	
APC90-D1	15	242.25	296	53.75	0.58	9	0.03	0.002				0.75	
and		399.35	410.85	11.5	0.91	5	0.02	-				0.98	
and		460.65	471.3	10.65	3.09	13	0.03	0.001				3.23	
and		542.65	553.35	10.7	1.11	4	0.01	0.001				1.17	
and		582.25	592.35	10.1	0.79	2	0.01	0.001				0.83	
APC-88D Mother Hole	14	70.1	90.1	20	0.89	4	0.01			2	4	0.94	
APC88-D1	14	85.3	582.65	497.35	1.17	34	0.12			2	27	1.8	
incl		85.3	286.1	200.8	2.04	61	0.22			3	57	3.19	
and		756	958.35	202.35	2.11	4	0.02			36	5	2.16	
incl		809	824.6	15.6	20.75	11	0.02			47	5	20.34	
APC88-D2	14	68.1	617	548.9	1.33	31	0.12			3	35	1.91	
incl		154.7	288.6	133.9	3	99	0.36			3	95	4.87	
and Incl		356.5	407.8	51.3	3.36	14	0.03			2	9	3.51	
and Incl		541	556.1	15.1	1.74	18	0.06			2	6	2.03	
and		737	755.2	18.2	1.13	6	0.02			21	7	1.23	
APC-91	15	282.3	298.9	16.6	2.8	22	0.02			23	6	3.06	
Incl		289.6	294.65	5.05	8.13	36	0.01			28	7	8.43	
and		448	449.35	1.35	4.15	-	0.01			1	1	4.04	
APC-92	14	93.85	245.05	151.2	0.81	12	0.09			13	55	1.12	
Incl		189.9	245.05	55.15	1.88	23	0.19			13	121	2.5	
and		321.4	407.4	86	0.26	7	0.09			21	88	0.55	
APC-93	14	127.25	687.3	560.05	1.18	34	0.13			4	52	1.83	
incl		219.6	331.6	112	2.4	110	0.43			5	59	4.52	
and incl		396.9	507.65	110.75	2.49	16	0.04			5	43	2.73	
and		788.1	823	34.9	0.98	8	0.03			16	7	1.1	
and		898	940	42	0.72	4	0.02			25	7	0.79	
and		1,036.75	1,103.25	66.5	1.12	5	0.02			19	6	1.18	
incl.		1,049.15	1,065.90	16.75	2.4	9	0.02			22	6	2.48	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn %	Pb %	Mo %	WO ₃ %	AuEq g/t	CuEq %
APC-95	14	5.75	23.75	18	0.96	17	0.03			3	14	1.18	
and		92.65	103.65	11	1.01	5	0.03			5	5	1.09	
and		207.2	720.9	513.7	1.5	42	0.18			3	8	2.2	
incl.		295.4	412.35	116.95	3.73	76	0.26			2	10	4.88	
APC-97	14	192	1,017.70	825.7	0.83	15	0.09			4	8	1.11	
incl		205.3	310.55	105.25	0.78	52	0.48			9	18	2.02	
& incl.		479.1	554	74.9	1.81	19	0.05			5	7	2.06	
& incl.		825.05	879.6	54.55	1.91	7	0.02			1	8	1.97	
& incl.		909.3	927.35	18.05	2.37	11	0.03			2	7	2.46	



Drilling Results - Guayabales Project

Olympus Target

Status: Drilling Underway

Initial Discovery Announced: March 15, 2022

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t
OLCC-3	61.7	363.6	301.90	0.89	12	0.03	0.03	0.03	0.002	1.11
OLCC-3	486.7	520.9	34.20	0.74	8	0.03	0.04	0.03	0.001	0.9
OLCC-4	73	289.7	216.70	0.79	14	0.04	0.02	0.03	0.004	1.08
OLCC-4	480.3	590.4	110.10	0.69	7	0.02	0.03	0.03	0.001	0.82
OLCU-2	172.6	227.85	55.25	1.75	11			0.02	0.003	1.91

Trap Target

Status: Drilling Underway

Initial Discovery Announced: September 27, 2022

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t
TRC-1	233.80	336.00	102.20	1.26	12	0.09	0.08	0.01	0.003	1.53
Incl	259.10	269.00	9.90	3	25	0.25	0.03	0	0.007	3.65
	294.50	303.70	9.20	1.82	31	0.07	0.27	0.08	0.003	2.27
VICE-1	212.60	227.30	14.70	1.14	26	0.01	0.07	0.06	0.001	1.44
Incl	213.20	214.80	1.60	2.33	47	0.01	0.01	0.01	0	2.87
	219.55	220.70	1.15	1.91	131	0.04	0.45	0.46	0.001	3.66
and	253.50	270.50	17.00	0.69	6	0.01	0.14	0.15	0.001	0.75
VICE-2	214.60	233.50	18.90	1.06	36	0.18	0.18	0.12	0.005	1.83
Incl	214.60	216.60	2.00	3.55	208	0.17	0.17	0.99	0.012	6.51



Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t
TRC-2	19.5	665.5	646	0.71	6	0.02	-	-	0.001	0.81
incl	19.5	321	301.5	0.84	7	0.04	-	-	0.003	1.01
and incl	385.6	477.3	91.7	0.96	4	-	-	-	-	1
TRC-3	86.8	246.55	159.75	0.69	15	0.07	-	-	0.004	1.04
Incl	188	235	47	1.68	28	0.12	-	-	0.003	2.25
and	359.35	432.05	72.7	0.61	6	0.04	-	-	0.003	0.77
TRC-4	253.15	261.05	7.9	0.83	20	-	0.51	0.31	-	1.35
TRC-5	31.25	263.6	232.35	0.54	4	-	0.04	-	-	0.6
Incl	69.3	82.15	12.85	0.87	10	-	0.08	-	-	1
and Incl	108.85	124	15.15	1.01	4	-	0.02	-	-	1.03
and Incl	177.45	185.8	8.35	0.92	8	-	0.03	0.01	-	1.12
and Incl	223.8	239.65	15.85	1.34	2	-	0.01	-	-	1.33
and	333.3	388.4	55.1	1.1	2	-	0.01	-	-	1.09
Incl	349	357.15	8.15	5.56	4	-	0.01	-	-	5.45
and Incl	377.2	385.35	8.15	1.07	1	-	0.01	-	-	1.06
and	456.4	508.35	51.95	0.59	2	-	0.01	0.01	-	0.61
Incl	456.4	464.4	8	1.21	7	-	0.01	-	-	1.26
and Incl	497.8	508.35	10.55	1.13	2	-	0.01	-	-	1.13
TRC-6	98.4	305.35	206.95	0.9	5	-	0.03	0.02	-	1.02
Incl	110.7	170.85	60.15	1.77	5	-	0.02	0.01	-	1.89
and	623.35	739	115.65	0.79	11	-	0.19	0.08	-	1
Incl	641.1	656.55	15.45	1.3	3	-	0.12	0.05	-	1.36
and Incl	725.5	739	13.5	1.37	8	-	0.16	0.09	-	1.51
TRC-7A	172.65	804.9	632.25	0.92	9	-	0.13	0.13	-	1.1
Incl	172.65	212	39.35	1.97	10	-	0.18	0.15	-	2.16
and incl	311.3	362.8	51.5	2.56	9	-	0.16	0.19	-	2.73
and incl	393	439.35	46.35	1.88	18	-	0.51	0.5	-	2.41
and incl	559.2	575.85	16.65	0.91	103	-	0.1	0.11	-	2.19
TRC-8	187.55	238.6	51.05	1.2	12	-	0.18	0.11	-	1.41
Incl	188.5	196.05	7.55	2.29	37	-	0.41	0.25	-	2.9
and incl	226.7	238.6	11.9	2.11	20	-	0.32	0.2	-	2.49



Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t
TRC-9	273.7	274.75	1.05	3.47	0	-	0	0	-	3.37
and	290.65	292.8	2.15	3.45	42	-	0.37	0.08	-	4.01
and	370.95	371.95	1	6.32	7	-	0.01	0	-	6.21
and	459.4	462.65	3.25	4.74	14	-	0.06	0.12	-	4.83
TRC-10	284.95	374.8	89.85	0.69	3	-	0.04	0.03	-	0.73
Incl	344.8	357.9	13.1	1.91	7	-	0.05	0.07	-	1.98
TRC-11	240.7	242.2	1.5	1.2	2	-	0.03	0.02	-	1.21
and	262.35	265.25	2.9	2.75	21	-	0.3	0.19	-	3.11
and	485.15	659.6	174.45	0.89	11	-	0.29	0.25	-	1.19
Incl	485.15	526	40.85	2.67	38	-	0.98	0.98	-	3.76
and Incl	653.15	659.6	6.45	1.08	4	-	0.05	0.04	-	1.12



Drilling Results - Guayabales Project

Plutus Target

Status: Drilling in Q3 2024

Initial Discovery Announced: October 18, 2021

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu %	Zn%	Pb%	Mo %	AuEq g/t
DOC-2	0	104	104.00	1.21	12	0.03	0.04	0.03	0.002	1.42
incl	16	34	18.00	4.78	10	0.05	0.03	0.01	0.001	4.81
DOC-3	0	163	163.00	1.17	10	0.02	0.03	0.01	0.002	1.32
incl	155.6	157.1	1.50	83.23	37	0.04	0.06	0.04	0.001	79.73
PNC-1	2.9	25.35	22.45	0.19	1	0.04			0.006	0.32
and	53	138.05	85.05	0.18	1	0.06			0.003	0.31
and	169.75	209.10	39.35	0.11	4	0.09			0.004	0.35
and	254.90	279.30	24.40	0.11	5	0.07			0.006	0.35
and	312.10	343.45	31.35	0.25	6	0.09			0.006	0.53
PNC-2	65.3	100.4	35.1	0.2	2	0.1			0.002	0.41
and	143.2	329	185.8	0.59	13	0.02			0.002	0.81
and	369.35	505.8	136.45	0.97	20	0.04			0.002	1.31
and incl	462.35	505.3	42.95	1.9	28	0.08			0.002	2.39
PNC-5	4.4	309	304.6	0.58	9	0.03			0.003	0.76
incl	96.75	144.65	47.9	1.11	10	0.01			0.001	1.25
and incl	255	309	54	1.44	16	0.02			0.003	1.69