



# Drilling Results - Guayabales Project

## Apollo Target

Status: Drilling Underway (Multiple Rigs)  
Initial Discovery Announced: June 22, 2022

Highlights include:

| Hole # | Pad # | From (m)              | To (m) | Length (m) | Au g/t | Ag g/t | Cu % | Zn % | Pb % | Mo %  | WO <sub>3</sub> % | AuEq g/t | CuEq % |
|--------|-------|-----------------------|--------|------------|--------|--------|------|------|------|-------|-------------------|----------|--------|
| APC-1  | 1     | 291.6                 | 379.4  | 87.8       | 0.88   | 61     | 0.39 | 0.07 | 0.05 | 0.001 |                   | 2.49     | 1.21   |
| APC1-W | 1     | 293                   | 382.4  | 89.4       | 0.89   | 58     | 0.39 | 0.07 | 0.06 | 0.001 |                   | 2.46     | 1.25   |
| APC-2  | 2     | 154.7                 | 361.9  | 207.15     | 1.46   | 45     | 0.31 | 0.08 | 0.05 | 0.002 |                   | 2.68     | 1.37   |
| incl   |       | 192.5                 | 209.9  | 17.4       | 6.57   | 44     | 0.08 | 0.29 | 0.23 | 0.003 |                   | 7.33     |        |
|        |       | 270.6                 | 291.6  | 20.95      | 3.67   | 68     | 0.41 | 0.03 | 0.03 | 0.002 |                   | 5.21     |        |
| APC-3  | 3     | 303.4                 | 484    | 180.6      | 1.52   | 39     | 0.16 | 0.13 | 0.11 | 0.001 |                   | 2.43     |        |
| APC-4  | 2     | 132.3                 | 149.8  | 17.5       | 12.79  | 21     | 0.03 | 0.11 | 0.05 | 0.001 |                   | 12.61    |        |
| APC-5  | 2     | 210.25                | 478.25 | 268        | 0.89   | 22     | 0.13 | 0.11 | 0.07 | 0.002 |                   | 1.5      |        |
| APC-6  | 3     | 364.6                 | 690.65 | 326.05     | 0.85   | 10     | 0.04 | 0.04 | 0.02 | 0.001 |                   | 1.07     |        |
| incl   |       | 480.15                | 631.65 | 151.5      | 0.96   | 11     | 0.04 | 0.06 | 0.03 | 0.001 |                   | 1.2      |        |
|        |       | 680.1                 | 690.65 | 10.55      | 4.67   | 7      | 0.05 | 0.01 | 0    | 0     |                   | 4.64     |        |
| APC-7  | 1     | 85.65                 | 111.2  | 25.55      | 0.4    | 23     | 0.02 | 0.08 | 0.04 | 0.002 |                   | 0.69     |        |
| incl   |       | 110.1                 | 111.2  | 1.1        | 5.62   | 158    | 0.05 | 1.28 | 0.8  | 0.009 |                   | 7.48     |        |
| and    |       | 199.85                | 238.25 | 38.4       | 1.3    | 21     | 0.04 | 0.05 | 0.03 | 0     |                   | 1.51     |        |
| APC-8  | 2     | 202                   | 467.75 | 265.75     | 1.26   | 55     | 0.22 | 0.07 | 0.05 | 0.045 |                   | 2.44     | 1.24   |
| incl   |       | 202                   | 215.2  | 13.2       | 3.68   | 27     | 0.03 | 0.32 | 0.24 | 0.238 |                   | 4.29     |        |
|        |       | 239.05                | 257.5  | 18.45      | 3.48   | 53     | 0.12 | 0.24 | 0.22 | 0.216 |                   | 4.55     |        |
|        |       | 279.4                 | 307.85 | 28.45      | 3.7    | 24     | 0.16 | 0.03 | 0.02 | 0.016 |                   | 4.18     |        |
|        |       | 342.6                 | 358.1  | 15.5       | 2.15   | 158    | 0.47 | 0.13 | 0.1  | 0.104 |                   | 5.21     |        |
| APC-9  | 1     | No Significant Values |        |            |        |        |      |      |      |       |                   |          |        |
| APC-10 | 3     | No Significant Values |        |            |        |        |      |      |      |       |                   |          |        |
| APC-11 | 2     | 55                    | 55.6   | 0.6        | 7.73   | 28     | 0.02 | 0.07 | 0.47 | 0.001 |                   | 8.02     |        |
|        |       | 157.55                | 158.1  | 0.55       | 1.88   | 61     | 0.06 | 0.58 | 0.68 | 0.001 |                   | 3.48     |        |
|        |       | 160                   | 161.2  | 1.2        | 2.89   | 113    | 0.07 | 0.74 | 1.49 | 0.001 |                   | 5.64     |        |
|        |       | 173.6                 | 174.25 | 0.65       | 5.95   | 18     | 0.02 | 0.14 | 0.17 | 0.002 |                   | 6.13     |        |
|        |       | 231                   | 231.65 | 0.65       | 11.8   | 12     | 0.01 | 0.54 | 0.13 | 0.001 |                   | 11.9     |        |
|        |       | 234.7                 | 235.45 | 0.75       | 2.42   | 50     | 0.02 | 0.14 | 0.89 | 0.001 |                   | 3.51     |        |
|        |       | 237.1                 | 238.45 | 1.35       | 4.22   | 11     | 0.02 | 0.08 | 0.08 | 0.001 |                   | 4.3      |        |



# Drilling Results - Guayabales Project



| Hole #        | Pad #  | From (m)              | To (m) | Length (m) | Au g/t | Ag g/t | Cu %  | Zn % | Pb %  | Mo %  | WO <sub>3</sub> % | AuEq g/t | CuEq % |
|---------------|--------|-----------------------|--------|------------|--------|--------|-------|------|-------|-------|-------------------|----------|--------|
| <b>APC-12</b> | 4      | 191.35                | 429.05 | 237.7      | 1.15   | 72     | 0.38  | 0.08 | 0.07  | 0.001 |                   | 2.88     | 1.47   |
|               | incl   | 209.7                 | 224    | 14.3       | 4.01   | 77     | 0.21  | 0.27 | 0.26  | 0.001 |                   | 5.58     |        |
|               |        | 339.55                | 361.3  | 21.75      | 3.84   | 210    | 0.68  | 0.37 | 0.45  | 0.001 |                   | 8.27     |        |
|               |        | 416.9                 | 429.05 | 12.15      | 3.64   | 84     | 0.22  | 0.04 | 0.06  | 0.001 |                   | 5.09     |        |
| <b>APC-13</b> | 2      | 126.4                 | 143.2  | 16.8       | 4.24   | 19     | 0.01  | 0.24 | 0.21  | 0.001 |                   | 4.6      |        |
|               | incl   | 128.95                | 132.85 | 3.9        | 9.73   | 34     | 0.02  | 0.46 | 0.32  | 0     |                   | 10.25    |        |
|               |        | 141.2                 | 143.2  | 2          | 15.54  | 65     | 0.02  | 1.03 | 1.1   | 0.001 |                   | 16.99    |        |
| <b>APC-14</b> | 3      | 84.25                 | 131.7  | 47.45      | 0.81   | 13     | 0.2   | 0.01 | 0     | 0.003 |                   | 1.36     | 0.7    |
|               |        | 197                   | 391.3  | 194.3      | 0.39   | 56     | 0.44  | 0.03 | 0.01  | 0.002 |                   | 2        | 1.02   |
| <b>APC-15</b> | 3      | 54.2                  | 110.25 | 56.05      | 0.37   | 5      | 0.01  | 0.01 | 0     | -     |                   | 0.57     |        |
|               | incl   | 180.95                | 181.65 | 0.7        | 13.29  | 9      | -     | 0.01 | 0.01  | -     |                   | 12.81    |        |
|               | and    | 206.95                | 207.5  | 0.55       | 7.87   | 5      | -     | 0.01 | 0     | -     |                   | 7.61     |        |
| <b>APC-16</b> | 4      | No Significant Values |        |            |        |        |       |      |       |       |                   |          |        |
| <b>APC-17</b> | 3      | 118.2                 | 190.5  | 72.3       | 1      | 28     | 0.63  | 0.02 | -     | 0.004 |                   | 2.57     | 1.31   |
|               | incl   | 121.9                 | 130.4  | 8.5        | 2.42   | 30     | 0.61  | 0.03 | -     | 0.005 |                   | 3.91     | 2      |
|               | and    | 365.15                | 912.8  | 547.65     | 0.76   | 14     | 0.04  | 0.06 | 0.04  | 0.001 |                   | 1.03     |        |
|               | incl   | 816                   | 837.5  | 21.5       | 1.53   | 28     | 0.09  | 0.04 | 0.02  | 0.001 |                   | 2.04     |        |
| <b>APC-18</b> | 4      | 136.05                | 304.65 | 168.6      | 0.98   | 69     | 0.5   | 0.04 | 0.03  | 0     |                   | 2.91     | 1.48   |
|               | incl   | 149.2                 | 157    | 7.8        | 5.08   | 35     | 0.52  | 0.02 | -     | 0     |                   | 6.34     | 3.23   |
|               |        | 193.2                 | 205.1  | 11.9       | 2.18   | 154    | 0.77  | 0.18 | 0.2   | 0     |                   | 5.81     | 2.97   |
|               |        | 233.9                 | 251.5  | 17.6       | 1.49   | 56     | 0.74  | 0.05 | 0.02  | 0     |                   | 3.63     | 1.85   |
|               |        | 291.65                | 297    | 5.35       | 3.26   | 10     | 0.11  | 0.01 | -     | 0     |                   | 3.47     | 1.77   |
| <b>APC-19</b> | 4      | 199.2                 | 497.8  | 298.6      | 0.48   | 34     | 0.31  | 0.04 | 0.02  | 0     |                   | 1.54     | 0.79   |
|               | incl   | 199.2                 | 323.5  | 124.3      | 0.62   | 64     | 0.63  | 0.05 | 0.02  | 0     |                   | 2.72     | 1.39   |
|               |        | 491.3                 | 497.8  | 6.5        | 2.33   | 26     | 0.04  | 0.08 | 0.06  | 0     |                   | 2.69     |        |
| <b>APC-20</b> | 5      | 298.2                 | 400.4  | 102.2      | 2.72   | 28     | 0.08  | 0.21 | 0.15  | 0     |                   | 3.38     |        |
|               | incl   | 324.25                | 357.85 | 33.6       | 6.3    | 45     | 0.08  | 0.42 | 0.33  | 0     |                   | 7.3      |        |
|               |        | 396.6                 | 400.4  | 3.8        | 4.16   | 13     | 0.12  | 0.01 | -     | 0.001 |                   | 4.39     |        |
| <b>APC-21</b> | 3      | No Significant Values |        |            |        |        |       |      |       |       |                   |          |        |
| <b>APC-22</b> | 3      | 89.25                 | 136.5  | 47.25      | 4.65   | 22     | 0.39  |      |       | 0.003 |                   | 5.45     |        |
|               |        | 167                   | 183.8  | 16.8       | 2.59   | 79     | 0.5   |      |       | 0.002 |                   | 4.56     |        |
|               | and    | 308.8                 | 734.8  | 426        | 1.05   | 23     | 0.08  |      |       | 0.001 |                   | 1.51     |        |
|               | incl   | 406.15                | 471    | 64.85      | 3.16   | 33     | 0.08  |      |       | 0.001 |                   | 3.67     |        |
|               |        | 568.1                 | 593.9  | 25.8       | 2.23   | 25     | 0.05  |      |       | 0.001 |                   | 2.59     |        |
| <b>APC-23</b> | 5      | 311.35                | 383.05 | 71.7       | 0.86   | 10     | 0.02  |      |       | 0.001 |                   | 1.01     |        |
|               |        | 359.1                 | 376.4  | 17.3       | 1.47   | 14     | 0.004 |      |       | 0.001 |                   | 1.69     |        |
|               |        |                       |        |            |        |        |       |      |       |       |                   |          |        |
| <b>APC-24</b> | 4      | 101                   | 151.6  | 50.6       | 1.15   | 10     | 0.02  |      |       | 0.001 |                   | 1.28     |        |
|               | incl   | 110.05                | 120.2  | 10.15      | 2.19   | 8      | 0.01  |      |       | 0.003 |                   | 2.25     |        |
|               |        | 128.75                | 134.75 | 6          | 2.04   | 11     | 0.02  |      |       | 0.001 |                   | 2.15     |        |
| and           | 316.25 | 317.65                | 1.4    | 4.85       | 26     | 0.08   |       |      | 0.001 |       | 5.15              |          |        |
| <b>APC-25</b> | 3      | 73                    | 179.85 | 106.85     | 0.81   | 30     | 0.62  |      |       | 0.003 |                   | 2.31     | 1.26   |
|               | Incl.  | 111                   | 125    | 14         | 2      | 35     | 0.75  |      |       | 0.005 |                   | 3.65     | 2      |



# Drilling Results - Guayabales Project



| Hole #        | Pad # | From (m) | To (m) | Length (m) | Au g/t | Ag g/t | Cu % | Zn % | Pb % | Mo %  | WO <sub>3</sub> % | AuEq g/t | CuEq % |
|---------------|-------|----------|--------|------------|--------|--------|------|------|------|-------|-------------------|----------|--------|
| <b>APC-26</b> | 4     | 415      | 726.2  | 311.2      | 0.74   | 16     | 0.05 |      |      | 0.001 |                   | 1.04     |        |
| incl.         |       | 415      | 551.9  | 136.9      | 1.14   | 20     | 0.06 |      |      | 0.001 |                   | 1.51     |        |
| <b>APC-27</b> | 3     | 299.5    | 372.4  | 72.9       | 0.3    | 6      | 0.02 |      |      | 0.002 |                   | 0.44     |        |
| <b>APC-28</b> | 2     | 286.6    | 305.55 | 18.95      | 1.11   | 12     | 0.04 |      |      | 0.001 |                   | 1.3      |        |
| and           |       | 354.7    | 956.35 | 601.65     | 0.89   | 24     | 0.1  |      |      | 0.001 |                   | 1.4      |        |
| Incl          |       | 354.7    | 614.65 | 259.95     | 1.21   | 43     | 0.2  |      |      | 0.001 |                   | 2.15     |        |
|               |       | 713.1    | 772.8  | 59.7       | 2.04   | 15     | 0.14 |      |      | 0.04  |                   | 2.23     |        |
|               |       | 863.15   | 868.8  | 5.65       | 2      | 13     | 0.04 |      |      | 0.001 |                   | 2.17     |        |
| <b>APC-29</b> | 3     | 111.3    | 143.3  | 32         | 9.23   | 60     | 0.44 |      |      | 0.003 |                   | 10.48    |        |
| and           |       | 194.8    | 203.45 | 8.65       | 0.57   | 82     | 0.27 |      |      | 0.001 |                   | 2.26     |        |
| and           |       | 343.8    | 644.8  | 301        | 0.63   | 14     | 0.05 |      |      | 0.001 |                   | 0.9      |        |
| Incl.         |       | 343.8    | 558.2  | 214.4      | 0.77   | 14     | 0.05 |      |      | 0.001 |                   | 1.04     |        |
| Incl.         |       | 460      | 558.2  | 98.2       | 1.26   | 15     | 0.04 |      |      | 0.001 |                   | 1.51     |        |
| <b>APC-30</b> | 4     | 267.6    | 586.25 | 318.65     | 0.61   | 19     | 0.12 |      |      | 0.002 |                   | 1.1      |        |
| Incl          |       | 267.6    | 328.4  | 60.8       | 0.17   | 48     | 0.4  |      |      | 0.002 |                   | 1.64     |        |
|               |       | 472.3    | 553.7  | 81.4       | 1.95   | 18     | 0.04 |      |      | 0.002 |                   | 2.22     |        |
| <b>APC-31</b> | 6     | 4.9      | 389.6  | 384.7      | 1.17   | 43     | 0.37 |      |      | 0.02  |                   | 2.46     |        |
| Incl          |       | 4.9      | 325.7  | 320.8      | 1.34   | 49     | 0.44 |      |      | 0.02  |                   | 2.84     |        |
|               |       | 4.9      | 114.7  | 109.8      | 3.15   | 45     | 0.25 |      |      | 0.01  |                   | 4.14     |        |
|               |       | 4.9      | 47.25  | 42.35      | 4.81   | 23     | 0.09 |      |      | 0.001 |                   | 5.08     |        |
| <b>APC-33</b> | 6     | 6.65     | 381.35 | 374.7      | 0.85   | 53     | 0.34 |      |      | 0.002 |                   | 2.22     | 1.21   |
| Incl          |       | 6.65     | 49.5   | 42.85      | 3.87   | 40     | 0.12 |      |      | 0.001 |                   | 4.5      |        |
| <b>APC-35</b> | 6     | 7        | 366.15 | 359.15     | 1.84   | 48     | 0.48 |      |      | 0.002 |                   | 3.32     | 1.82   |
| Incl          |       | 7        | 42.3   | 35.3       | 7.96   | 22     | 0.09 |      |      | 0.001 |                   | 8.06     |        |
|               |       | 318.3    | 366.15 | 47.85      | 5.47   | 19     | 0.05 |      |      | 0.002 |                   | 5.58     |        |
| APC-36        | 7     | 2.8      | 113.2  | 110.4      | 1.73   | 9      | 0.14 |      |      | 0.004 |                   | 2.08     | 1.11   |
| Incl**        |       | 2.8      | 22.35  | 19.55      | 2.57   | 11     | 0.11 |      |      | 0.002 |                   | 2.86     |        |
|               |       | 102.05   | 113.2  | 11.15      | 6.84   | 14     | 0.28 |      |      | 0.006 |                   | 7.36     |        |
| <b>APC-38</b> | 7     | -        | 169.95 | 169.95     | 1.36   | 19     | 0.32 |      |      | 0.002 |                   | 2.15     | 1.15   |
| Incl**        |       | -        | 20.95  | 20.95      | 3.12   | 2      | 0.1  |      |      | 0.002 |                   | 3.24     |        |
|               |       | 156.6    | 169.95 | 13.35      | 2.28   | 32     | 0.63 |      |      | 0.002 |                   | 3.74     |        |
| <b>APC-39</b> | 6     | 8        | 284.3  | 276.3      | 2.12   | 36     | 0.22 |      |      | 0.001 |                   | 2.95     | 1.57   |
| Incl**        |       | 8        | 41     | 33         | 4.44   | 26     | 0.11 |      |      | 0.001 |                   | 4.87     |        |
|               |       | 75.8     | 93.55  | 17.75      | 2.84   | 36     | 0.4  |      |      | 0.001 |                   | 3.94     |        |
|               |       | 185.8    | 196.95 | 11.15      | 3.55   | 18     | 0.04 |      |      | 0.001 |                   | 3.78     |        |
| <b>APC-40</b> | 7     | 1.5      | 170.75 | 169.25     | 1.93   | 19     | 0.38 |      |      | 0.003 |                   | 2.81     | 1.5    |
| Incl**        |       | 1.5      | 18.25  | 16.75      | 2.9    | 16     | 0.18 |      |      | 0.002 |                   | 3.37     |        |
|               |       | 18.25    | 30.2   | 11.95      | 9.45   | 8      | 0.16 |      |      | 0.002 |                   | 9.57     |        |
|               |       | 87.85    | 132.7  | 44.85      | 2.58   | 30     | 0.61 |      |      | 0.005 |                   | 3.99     |        |
| <b>APC-41</b> | 6     | 1.65     | 83.7   | 82.05      | 2.81   | 13     | 0.1  |      |      | 0.002 |                   | 3.09     | 1.65   |
| Incl**        |       | 1.65     | 29.7   | 28.05      | 3.44   | 15     | 0.07 |      |      | 0.001 |                   | 3.67     |        |
|               |       | 83.7     | 140.7  | 57         | 0.24   | 3      |      |      |      |       |                   | 0.34     |        |
| <b>APC-42</b> | 6     | 0        | 104.8  | 104.8      | 4.21   | 68     | 0.3  |      |      | 0.001 |                   | 5.56     | 2.97   |
| Incl**        |       | 0        | 44.55  | 44.55      | 6.48   | 37     | 0.1  |      |      | 0.001 |                   | 6.99     |        |
|               |       | 84.8     | 104.8  | 20         | 6.26   | 24     | 0.1  |      |      | 0.002 |                   | 6.59     |        |
| <b>APC-42</b> |       | 106.95   | 126.3  | 19.35      | 0.26   | 3      |      |      |      |       |                   | 0.33     |        |



# Drilling Results - Guayabales Project

| Hole #        | Pad # | From (m) | To (m) | Length (m) | Au g/t | Ag g/t | Cu % | Zn % | Pb % | Mo %  | WO <sub>3</sub> % | AuEq g/t | CuEq % |
|---------------|-------|----------|--------|------------|--------|--------|------|------|------|-------|-------------------|----------|--------|
| <b>APC-43</b> | 7     | -        | 271.3  | 271.3      | 2.37   | 23     | 0.42 |      |      | 0.002 |                   | 3.35     | 1.79   |
| Incl**        |       | -        | 19.3   | 19.3       | 4.02   | 6      | 0.16 |      |      | 0.002 |                   | 4.28     |        |
|               |       | 19.3     | 51.6   | 32.3       | 4.39   | 9      | 0.14 |      |      | 0.004 |                   | 4.65     |        |
|               |       | 127.8    | 144.7  | 16.9       | 4.02   | 17     | 0.32 |      |      | 0.002 |                   | 4.71     |        |
|               |       | 214.7    | 256.75 | 42.05      | 5.07   | 12     | 0.11 |      |      | 0.002 |                   | 5.29     |        |
| <b>APC-44</b> | 6     | 2        | 430.2  | 428.2      | 0.61   | 29     | 0.24 |      |      | 0.002 |                   | 1.41     | 0.75   |
| Incl**        |       | 2        | 39.55  | 37.55      | 1.81   | 14     | 0.1  |      |      | 0.001 |                   | 2.13     |        |
| Incl          |       | 2        | 21.95  | 19.95      | 2.84   | 13     | 0.07 |      |      | 0.001 |                   | 3.07     |        |
| and           |       | 148.25   | 166.5  | 18.25      | 3.02   | 83     | 0.65 |      |      | 0.002 |                   | 5.21     |        |
| <b>APC-45</b> | 7     | -        | 162.2  | 162.2      | 2.59   | 29     | 0.56 |      |      | 0.003 |                   | 3.9      | 2.08   |
| Incl          |       | -        | 17.05  | 17.05      | 3.13   | 16     | 0.13 |      |      | 0.001 |                   | 3.5      |        |
|               |       | 17.05    | 54     | 36.95      | 4.93   | 7      | 0.11 |      |      | 0.003 |                   | 5.08     |        |
|               |       | 127.9    | 155    | 27.1       | 4.2    | 54     | 1.09 |      |      | 0.003 |                   | 6.7      |        |
| <b>APC-47</b> | 4     | 21       | 49.25  | 28.25      | 0.77   | 10     |      |      |      |       |                   | 0.93     |        |
|               |       | 100.95   | 108.75 | 7.8        | 0.92   | 8      |      |      |      |       |                   | 1.03     |        |
| <b>APC-46</b> | 6     | 5.75     | 363.75 | 358        | 0.55   | 31     | 0.32 |      |      | 0.002 |                   | 1.52     | 0.81   |
| Incl**        |       | 5.75     | 34     | 28.25      | 2.06   | 22     | 0.1  |      |      | 0.001 |                   | 2.48     |        |
| incl          |       | 5.75     | 25     | 19.25      | 2.65   | 24     | 0.05 |      |      | 0.001 |                   | 3.01     |        |
| and           |       | 153.05   | 213.6  | 60.55      | 1.13   | 48     | 0.53 |      |      | 0.002 |                   | 2.69     |        |
| and           |       | 418.45   | 425.6  | 7.1        | 0.8    | 4      | 0.02 |      |      | 0.002 |                   | 0.88     |        |
| <b>APC-47</b> | 4     | 226.8    | 534.4  | 307.6      | 1.4    | 53     | 0.25 |      |      | 0.001 |                   | 2.53     | 1.35   |
| Incl          |       | 233.15   | 261.5  | 28.35      | 3.84   | 65     | 0.24 |      |      | 0.001 |                   | 5.06     |        |
|               |       | 354.4    | 372.2  | 17.8       | 4.19   | 42     | 0.09 |      |      | 0.001 |                   | 4.81     |        |
|               |       | 396      | 413.1  | 17.1       | 5.19   | 90     | 0.19 |      |      | 0.001 |                   | 6.62     |        |
| <b>APC-48</b> | 7     | -        | 236.7  | 236.7      | 0.9    | 11     | 0.17 |      |      | 0.003 |                   | 1.35     |        |
| Incl          |       | -        | 114.4  | 114.4      | 1.71   | 15     | 0.29 |      |      | 0.003 |                   | 2.38     | 1.27   |
|               |       | -        | 12.4   | 12.4       | 1.27   | 10     | 0.15 |      |      | 0.002 |                   | 1.65     |        |
|               |       | 13.15    | 31.4   | 18.25      | 5.9    | 17     | 0.2  |      |      | 0.002 |                   | 6.32     |        |
| And incl      |       | 128.1    | 236.7  | 108.6      | 0.16   | 8      | 0.06 |      |      | 0.004 |                   | 0.4      |        |
| <b>APC-50</b> | 9     | 53.3     | 191    | 137.7      | 0.74   | 52     | 0.66 |      |      | 0.002 |                   | 2.6      | 1.39   |
| incl          |       | 64.95    | 93.5   | 28.55      | 0.87   | 79     | 0.93 |      |      | 0.003 |                   | 3.55     |        |
| and incl      |       | 180.7    | 187.7  | 7          | 2.74   | 9      | 0.05 |      |      | 0.002 |                   | 2.9      |        |
| <b>APC-51</b> | 9     | 163.3    | 275.85 | 112.55     | 1.27   | 22     | 0.41 |      |      | 0.002 |                   | 2.26     | 1.2    |
| incl          |       | 198.25   | 219.35 | 21.1       | 1.5    | 39     | 0.72 |      |      | 0.002 |                   | 3.25     |        |
| and incl      |       | 260.8    | 275.85 | 15.05      | 2.72   | 13     | 0.14 |      |      | 0.002 |                   | 3.08     |        |
| <b>APC-52</b> | 10    | 1.9      | 192.2  | 190.3      | 1.19   | 43     | 0.41 |      |      | 0.001 |                   | 2.46     | 1.31   |
| incl          |       | 56.95    | 91     | 34.05      | 4.73   | 26     | 0.12 |      |      | 0.001 |                   | 5.16     |        |
| and incl      |       | 157      | 182.8  | 25.8       | 0.46   | 138    | 0.75 |      |      | 0.002 |                   | 3.76     |        |
| <b>APC-53</b> | 10    | 0        | 145    | 145        | 1.79   | 22     | 0.03 |      |      | 0.001 |                   | 2.11     |        |
| incl          |       | 21       | 58.3   | 37.3       | 2.91   | 15     | 0.02 |      |      | -     |                   | 3.06     |        |
| and incl      |       | 89.4     | 114.8  | 25.4       | 3.03   | 52     | 0.07 |      |      | 0.002 |                   | 3.8      |        |
| and incl      |       | 129      | 144.4  | 15.4       | 2.96   | 24     | 0.04 |      |      | 0.001 |                   | 3.28     |        |
| and           |       | 232.95   | 562.7  | 329.75     | 2.3    | 42     | 0.16 |      |      | 0.001 |                   | 3.1      |        |
| Incl          |       | 277.65   | 334.25 | 56.6       | 8.58   | 97     | 0.21 |      |      | 0.001 |                   | 10.05    |        |
|               |       | 410.7    | 429.8  | 19.1       | 3.08   | 19     | 0.04 |      |      | -     |                   | 3.32     |        |





# Drilling Results - Guayabales Project



| Hole #        | Pad # | From (m) | To (m) | Length (m) | Au g/t | Ag g/t | Cu % | Zn % | Pb % | Mo %  | WO <sub>3</sub> % | AuEq g/t | CuEq % |
|---------------|-------|----------|--------|------------|--------|--------|------|------|------|-------|-------------------|----------|--------|
| <b>APC-61</b> | 6     | 0        | 217.55 | 217.55     | 0.97   | 51     | 0.41 |      |      | 0.002 |                   | 2.35     |        |
| incl          |       | 130.55   | 148.2  | 17.65      | 2.15   | 162    | 0.83 |      |      | 0.003 |                   | 5.76     |        |
| and incl      |       | 160.05   | 187.55 | 27.5       | 2.8    | 28     | 0.32 |      |      | 0.002 |                   | 3.65     |        |
| <b>APC-62</b> | 10    | 0        | 161.3  | 161.3      | 1.13   | 61     | 0.45 |      |      | 0.002 |                   | 2.71     |        |
| Incl          |       | 26.45    | 60.05  | 33.6       | 4.21   | 34     | 0.2  |      |      | 0.002 |                   | 4.91     |        |
| and           |       | 203.6    | 237.6  | 34         | 1.87   | 28     | 0.42 |      |      | 0.002 |                   | 2.92     |        |
| Incl          |       | 204.8    | 220.9  | 16.1       | 2.58   | 30     | 0.56 |      |      | 0.003 |                   | 3.87     |        |
| <b>APC-63</b> |       | -        | 593.65 | 593.65     | 1.46   | 15     | 0.03 |      |      | 0.001 |                   | 1.69     |        |
| Incl          |       | -        | 353.1  | 353.1      | 1.16   | 15     | 0.02 |      |      | 0.002 |                   | 1.39     |        |
| and incl      |       | 353.1    | 593.65 | 240.55     | 1.9    | 15     | 0.03 |      |      | 0.001 |                   | 2.12     |        |
| <b>APC-64</b> |       | 33.4     | 484.8  | 451.4      | 1.48   | 57     | 0.26 |      |      | 0.001 |                   | 2.67     |        |
| Incl          |       | 34.65    | 133.15 | 98.5       | 3.13   | 16     | 0.05 |      |      | 0.001 |                   | 3.36     |        |
| and incl      |       | 309.4    | 380.35 | 70.95      | 2.05   | 104    | 0.38 |      |      | 0.001 |                   | 4.1      |        |
| <b>APC-66</b> |       | 245.15   | 267.4  | 22.25      | 0.28   | 12     | 0.04 |      |      | -     |                   | 0.51     |        |
| And           |       | 292.5    | 393.55 | 101.05     | 0.62   | 14     | 0.04 |      |      | 0.001 |                   | 0.87     |        |
| Incl          |       | 348.1    | 362.25 | 14.15      | 0.89   | 19     | 0.04 |      |      | 0.001 |                   | 1.21     |        |
| and incl      |       | 384      | 393.55 | 9.55       | 2.27   | 39     | 0.1  |      |      | 0.005 |                   | 2.96     |        |
| <b>APC-67</b> |       | 109.25   | 162.8  | 53.55      | 1.13   | 11     | 0.02 |      |      | 0.002 |                   | 1.31     |        |
| Incl          |       | 112.2    | 136.85 | 24.65      | 2.21   | 19     | 0.03 |      |      | 0.002 |                   | 2.47     |        |
| <b>APC-65</b> | 10    | -        | 503.25 | 503.25     | 1.55   | 23     | 0.1  |      |      | 0.001 |                   | 2        |        |
| Incl          |       | 126.9    | 183.55 | 56.65      | 4.75   | 9      | 0.02 |      |      | 0.001 |                   | 4.78     |        |
| and Incl      |       | 282      | 307.85 | 25.85      | 1.94   | 63     | 0.29 |      |      | 0.001 |                   | 3.26     |        |
| and Incl      |       | 325.6    | 389.8  | 64.2       | 1.95   | 30     | 0.06 |      |      | 0.001 |                   | 2.42     |        |
| and Incl      |       | 423.1    | 465.45 | 42.35      | 3.12   | 21     | 0.04 |      |      | 0.001 |                   | 3.41     |        |
| <b>APC-68</b> | 1     | 76.5     | 122    | 45.5       | 0.82   | 18     | 0.03 |      |      | 0.005 |                   | 1.14     |        |
| Incl          |       | 76.5     | 79.4   | 2.9        | 10.05  | 52     | 0.02 |      |      | 0.002 |                   | 10.55    |        |
| and Incl      |       | 98.15    | 98.9   | 0.75       | 4.47   | 270    | 0.06 |      |      | 0.004 |                   | 8.33     |        |
| and Incl      |       | 105.05   | 106.05 | 1          | 0.73   | 132    | 0.05 |      |      | 0.008 |                   | 2.75     |        |
| and Incl      |       | 112.65   | 114.8  | 2.15       | 0.65   | 55     | 0.02 |      |      | 0.005 |                   | 1.49     |        |
| <b>APC-69</b> | 10    | 0.3      | 78.65  | 78.35      | 1.12   | 13     | 0.02 |      |      | 0     |                   | 1.32     |        |
| Incl          |       | 55       | 60.65  | 5.65       | 5.33   | 84     | 0.04 |      |      | 0.001 |                   | 6.44     |        |
| and           |       | 221.4    | 299.7  | 78.3       | 0.64   | 8      | 0.05 |      |      | 0     |                   | 0.82     |        |
| Incl          |       | 257.7    | 265.4  | 7.7        | 1.61   | 29     | 0.23 |      |      | 0     |                   | 2.35     |        |
| <b>APC-71</b> | 5     | 6        | 96.75  | 90.75      | 0.1    | 23     | 0.04 |      |      | 0.003 |                   | 0.53     |        |
| Incl          |       | 70.2     | 96.75  | 26.55      | 0.29   | 64     | 0.04 |      |      | 0.004 |                   | 1.3      |        |
| and           |       | 131.95   | 189    | 57.05      | 0.54   | 10     | 0.02 |      |      | 0     |                   | 0.7      |        |
| Incl          |       | 131.95   | 148.9  | 16.95      | 1.21   | 24     | 0.04 |      |      | 0     |                   | 1.58     |        |
| <b>APC-72</b> | 10    | 2        | 521.1  | 519.1      | 2.12   | 36     | 0.1  |      |      | 0.001 |                   | 2.74     |        |
| incl          |       | 2        | 229.75 | 227.75     | 1.49   | 21     | 0.05 |      |      | 0.001 |                   | 1.84     |        |
| and incl      |       | 230.3    | 521.1  | 290.8      | 2.62   | 47     | 0.14 |      |      | 0.001 |                   | 3.45     |        |
| <b>APC-73</b> | 3     | 114.3    | 194    | 79.7       | 0.29   | 9      | 0.05 |      |      | 0.003 |                   | 0.53     |        |
| Incl          |       | 152.65   | 172.35 | 19.7       | 0.59   | 18     | 0.06 |      |      | 0.002 |                   | 0.96     |        |
| and           |       | 290.75   | 344.15 | 53.4       | 0.18   | 9      | 0.12 |      |      | 0.003 |                   | 0.52     |        |



# Drilling Results - Guayabales Project



| Hole #          | Pad # | From (m)  | To (m) | Length (m) | Au g/t | Ag g/t | Cu % | Zn % | Pb % | Mo %  | WO <sub>3</sub> % | AuEq g/t | CuEq % |
|-----------------|-------|---|--------|------------|--------|--------|------|------|------|-------|-------------------|----------|--------|
| <b>APC-74</b>   | 5     | 33.95   | 62.3   | 28.35      | 0.74   | 31     | 0.06 |      |      | 0.002 |                   | 1.28     |        |
| Incl            |       | 33.95   | 47.4   | 13.45      | 1.15   | 44     | 0.09 |      |      | 0.002 |                   | 1.9      |        |
| and             |       | 272.2   | 494.55 | 222.35     | 1.61   | 25     | 0.09 |      |      | 0.001 |                   | 2.07     |        |
| Incl            |       | 272.2   | 325.8  | 53.6       | 0.73   | 19     | 0.07 |      |      | 0.001 |                   | 1.09     |        |
| and Incl        |       | 325.8   | 494.55 | 168.75     | 1.89   | 27     | 0.09 |      |      | 0.002 |                   | 2.38     |        |
| <b>APC-75</b>   | 3     | 7   | 116.15 | 109.15     | 0.27   | 6      | 0.05 |      |      | 0.002 | 0.01              | 0.46     |        |
| Incl            |       | 109.75  | 116.15 | 6.4        | 3.42   | 9      | 0.04 |      |      | 0.003 | -                 | 3.54     |        |
| and             |       | 302.25  | 337.05 | 34.8       | 0.23   | 21     | 0.06 |      |      | 0.005 | -                 | 0.66     |        |
| Incl            |       | 333.4   | 335.1  | 1.7        | 3.87   | 351    | 0.07 |      |      | 0.003 | -                 | 9.21     |        |
| <b>APC-76</b>   | 5     | Hole abandoned due to technical issues                        |        |            |        |        |      |      |      |       |                   |          |        |
| <b>APC-77</b>   | 3     | 52.4  | 88.5   | 36.1       | 0.08   | 10     | 0.07 |      |      | 0.003 | -                 | 0.36     |        |
| <b>APC-79</b>   | 3     | No significant interval; drilled outside the Apollo intrusion |        |            |        |        |      |      |      |       |                   |          |        |
| <b>APC-80</b>   | 12    | 119.9   | 250.35 | 130.45     | 1.3    | 33     | 0.19 |      |      | 0.001 | 0.03              | 2.17     |        |
| Incl            |       | 139   | 155.3  | 16.3       | 2.72   | 23     | 0.05 |      |      | 0.002 | 0.01              | 3.11     |        |
| and Incl        |       | 159.05  | 173.1  | 14.05      | 0.87   | 55     | 0.16 |      |      | 0.002 | 0.26              | 2.76     |        |
| and Incl        |       | 213.5   | 250.35 | 36.85      | 2.57   | 16     | 0.13 |      |      | 0.001 | -                 | 2.95     |        |
| <b>APC-82</b>   | 12    | 70  | 105.8  | 35.8       | 0.46   | 8      | 0.01 |      |      | -     | -                 | 0.58     |        |
| and             |       | 132.35  | 231.1  | 98.75      | 1.27   | 52     | 0.39 |      |      | -     | 0.03              | 2.71     |        |
| Incl            |       | 152.2   | 175.05 | 22.85      | 1.27   | 22     | 0.06 |      |      | -     | 0.02              | 1.69     |        |
| and Incl        |       | 175.05  | 204.65 | 29.6       | 1.81   | 82     | 0.75 |      |      | 0.001 | 0.09              | 4.43     |        |
| and Incl        |       | 204.65  | 231.1  | 26.45      | 1.42   | 79     | 0.54 |      |      | 0.001 | 0.01              | 3.42     |        |
| <b>APC-84</b>   | 12    | 120   | 173.7  | 53.7       | 0.51   | 10     | 0.02 |      |      | 0.001 | -                 | 0.67     |        |
| Incl            |       | 147.5   | 166.2  | 18.7       | 1.05   | 15     | 0.02 |      |      | 0.001 | -                 | 1.29     |        |
| and             |       | 257.6   | 269.25 | 11.65      | 0.93   | 5      | 0.03 |      |      | 0.002 | 0.01              | 1.08     |        |
| <b>APC-70</b>   | 1     | 83.3  | 106    | 22.7       | 0.71   | 23     | 0.03 |      |      | 0.008 | -                 | 1.15     |        |
| Incl            |       | 83.3  | 86.55  | 3.25       | 4.78   | 104    | 0.03 |      |      | 0.002 | -                 | 6.19     |        |
| <b>APC70-D1</b> | 1     | 229.3   | 428.7  | 199.4      | 1.46   | 11     | 0.04 |      |      | 0.001 | -                 | 1.65     |        |
| Incl            |       | 229.3   | 251.6  | 22.3       | 1.82   | 31     | 0.08 |      |      | 0.002 | -                 | 2.36     |        |
| and Incl        |       | 281.4   | 314.3  | 32.9       | 2.17   | 11     | 0.03 |      |      | 0.002 | -                 | 2.32     |        |
| and Incl        |       | 341.1   | 372.9  | 31.8       | 1.67   | 9      | 0.03 |      |      | 0.001 | -                 | 1.81     |        |
| and Incl        |       | 402.2   | 428.7  | 26.5       | 3.41   | 7      | 0.04 |      |      | 0.001 | -                 | 3.48     |        |
| and             |       | 488.15  | 513.85 | 25.7       | 1.27   | 4      | 0.03 |      |      | 0.004 | -                 | 1.36     |        |
| <b>APC70-D2</b> | 1     | 15  | 26.7   | 11.7       | 1.38   | 10     | 0.02 |      |      | 0     | -                 | 1.52     |        |
| and             |       | 181.4   | 187.3  | 5.9        | 1.25   | 34     | 0.04 |      |      | 0     | -                 | 1.77     |        |
| and             |       | 213.1   | 381.3  | 168.2      | 1.14   | 11     | 0.03 |      |      | 0.001 | -                 | 1.32     |        |
| Incl            |       | 240   | 261.35 | 21.35      | 2.83   | 20     | 0.04 |      |      | 0.001 | -                 | 3.1      |        |
| and incl        |       | 296.9   | 324.2  | 27.3       | 2.32   | 16     | 0.04 |      |      | 0.001 | -                 | 2.55     |        |
| and incl        |       | 366   | 381.3  | 15.3       | 1.44   | 10     | 0.05 |      |      | 0.001 | -                 | 1.64     |        |



# Drilling Results - Guayabales Project

| Hole #          | Pad # | From (m)  | To (m) | Length (m) | Au g/t | Ag g/t | Cu % | Zn %  | Pb % | Mo %  | WO <sub>3</sub> % | AuEq g/t | CuEq % |
|-----------------|-------|---|--------|------------|--------|--------|------|-------|------|-------|-------------------|----------|--------|
| <b>APC70-D3</b> | 1     | 7.45  | 12.55  | 5.1        | 3.23   | 11     | 0.02 |       |      | 0     | -                 | 3.33     |        |
| and             |       | 106.45  | 134.9  | 28.45      | 0.48   | 6      | 0.01 |       |      | 0     | -                 | 0.58     |        |
| and             |       | 245.5   | 414.3  | 168.8      | 1.59   | 14     | 0.03 |       |      | 0.002 | -                 | 1.82     |        |
| Incl            |       | 247.95  | 269.6  | 21.65      | 1.79   | 30     | 0.06 |       |      | 0.001 | -                 | 2.27     |        |
| and Incl        |       | 305.5   | 414.3  | 108.8      | 2      | 14     | 0.03 |       |      | 0.002 | -                 | 2.21     |        |
| and             |       | 476.4   | 481.1  | 4.7        | 0.99   | 28     | 0.01 |       |      | 0.002 | -                 | 1.4      |        |
| <b>APC70-D4</b> | 1     | 45.25   | 51.3   | 6.05       | 1.9    | 35     | 0.1  |       |      | 0.002 | -                 | 2.52     |        |
| and             |       | 119.35  | 123.6  | 4.25       | 13.87  | 60     | 0.02 |       |      | 0     | -                 | 14.34    |        |
| and             |       | 192   | 197.8  | 5.8        | 5.35   | 19     | 0.02 |       |      | 0     | -                 | 5.5      |        |
| and             |       | 268.55  | 658    | 389.45     | 1.17   | 11     | 0.03 |       |      | 0.001 | -                 | 1.36     |        |
| Incl            |       | 279.2   | 308.45 | 29.25      | 2.18   | 30     | 0.05 |       |      | 0     | -                 | 2.62     |        |
| and Incl        |       | 456.25  | 540.5  | 84.25      | 1.64   | 16     | 0.03 |       |      | 0.001 | -                 | 1.88     |        |
| and Incl        |       | 579.9   | 592.25 | 12.35      | 1.7    | 14     | 0.03 |       |      | 0.001 | -                 | 1.92     |        |
| and Incl        |       | 636.2   | 658    | 21.8       | 4.4    | 8      | 0.02 |       |      | 0     | -                 | 4.41     |        |
| <b>APC70-D5</b> | 1     | 17.1  | 116.3  | 99.2       | 0.51   | 7      | 0.02 | -     |      |       |                   | 0.62     |        |
| Incl            |       | 84.3  | 115.65 | 31.35      | 1.24   | 10     | 0.01 | -     |      |       |                   | 1.37     |        |
| and             |       | 223.6   | 751    | 527.4      | 0.86   | 7      | 0.03 | 0.001 |      |       |                   | 1        |        |
| Incl            |       | 239.4   | 268.9  | 29.5       | 1.19   | 12     | 0.04 | -     |      |       |                   | 1.46     |        |
| and incl        |       | 278.75  | 308    | 29.25      | 1.23   | 14     | 0.03 | -     |      |       |                   | 1.45     |        |
| and incl        |       | 404   | 437.6  | 33.6       | 1.12   | 15     | 0.06 | -     |      |       |                   | 1.41     |        |
| and incl        |       | 603.6   | 710.6  | 107        | 2.02   | 6      | 0.02 | 0.001 |      |       |                   | 2.09     |        |
| <b>APC70-D6</b> | 1     | 75.15   | 217    | 141.85     | 0.78   | 12     | 0.04 | 0.001 |      |       |                   | 1        |        |
| Incl            |       | 75.8  | 107.55 | 31.75      | 1.2    | 13     | 0.03 | -     |      |       |                   | 1.4      |        |
| and incl        |       | 123.1   | 165.35 | 42.25      | 1.24   | 18     | 0.04 | 0.001 |      |       |                   | 1.54     |        |
|                 |       | <i>From 217.00m hole abandoned before reaching target depth</i> |        |            |        |        |      |       |      |       |                   |          |        |
| <b>APC-86</b>   | 13    | 53  | 143.3  | 90.3       | 1.65   | 10     | 0.03 | 0.001 |      |       |                   | 1.81     |        |
| Incl            |       | 53.7  | 65.9   | 12.2       | 1.57   | 13     | 0.02 | -     |      |       |                   | 1.75     |        |
| and incl        |       | 73.6  | 104.9  | 31.3       | 3.86   | 18     | 0.03 | 0.001 |      |       |                   | 4.07     |        |
| <b>APC-89</b>   | 13    | 5.8   | 115.4  | 109.6      | 0.79   | 9      | 0.02 | -     |      |       |                   | 0.93     |        |
| Incl            |       | 77.7  | 105    | 27.3       | 1.84   | 11     | 0.02 | -     |      |       |                   | 1.98     |        |
| and             |       | 146.4   | 153    | 6.6        | 0.92   | 12     | 0.01 | -     |      |       |                   | 1.09     |        |





# Drilling Results - Guayabales Project



| Hole #                        | Pad # | From (m) | To (m)   | Length (m) | Au g/t | Ag g/t | Cu % | Zn %  | Pb % | Mo % | WO <sub>3</sub> % | AuEq g/t | CuEq % |
|-------------------------------|-------|----------|----------|------------|--------|--------|------|-------|------|------|-------------------|----------|--------|
| <b>APC-90D</b><br>Mother Hole | 15    | 86.1     | 118.3    | 32.2       | 0.77   | 49     | 0.02 | 0.001 |      |      |                   | 1.5      |        |
| and                           |       | 239.35   | 342.7    | 103.35     | 0.23   | 4      | 0.01 | -     |      |      |                   | 0.32     |        |
| <b>APC90-D1</b>               | 15    | 242.25   | 296      | 53.75      | 0.58   | 9      | 0.03 | 0.002 |      |      |                   | 0.75     |        |
| and                           |       | 399.35   | 410.85   | 11.5       | 0.91   | 5      | 0.02 | -     |      |      |                   | 0.98     |        |
| and                           |       | 460.65   | 471.3    | 10.65      | 3.09   | 13     | 0.03 | 0.001 |      |      |                   | 3.23     |        |
| and                           |       | 542.65   | 553.35   | 10.7       | 1.11   | 4      | 0.01 | 0.001 |      |      |                   | 1.17     |        |
| and                           |       | 582.25   | 592.35   | 10.1       | 0.79   | 2      | 0.01 | 0.001 |      |      |                   | 0.83     |        |
| <b>APC-88D</b><br>Mother Hole | 14    | 70.1     | 90.1     | 20         | 0.89   | 4      | 0.01 |       |      | 2    | 4                 | 0.94     |        |
| <b>APC88-D1</b>               | 14    | 85.3     | 582.65   | 497.35     | 1.17   | 34     | 0.12 |       |      | 2    | 27                | 1.8      |        |
| incl                          |       | 85.3     | 286.1    | 200.8      | 2.04   | 61     | 0.22 |       |      | 3    | 57                | 3.19     |        |
| and                           |       | 756      | 958.35   | 202.35     | 2.11   | 4      | 0.02 |       |      | 36   | 5                 | 2.16     |        |
| incl                          |       | 809      | 824.6    | 15.6       | 20.75  | 11     | 0.02 |       |      | 47   | 5                 | 20.34    |        |
| <b>APC88-D2</b>               | 14    | 68.1     | 617      | 548.9      | 1.33   | 31     | 0.12 |       |      | 3    | 35                | 1.91     |        |
| incl                          |       | 154.7    | 288.6    | 133.9      | 3      | 99     | 0.36 |       |      | 3    | 95                | 4.87     |        |
| and Incl                      |       | 356.5    | 407.8    | 51.3       | 3.36   | 14     | 0.03 |       |      | 2    | 9                 | 3.51     |        |
| and Incl                      |       | 541      | 556.1    | 15.1       | 1.74   | 18     | 0.06 |       |      | 2    | 6                 | 2.03     |        |
| and                           |       | 737      | 755.2    | 18.2       | 1.13   | 6      | 0.02 |       |      | 21   | 7                 | 1.23     |        |
| <b>APC-91</b>                 | 15    | 282.3    | 298.9    | 16.6       | 2.8    | 22     | 0.02 |       |      | 23   | 6                 | 3.06     |        |
| Incl                          |       | 289.6    | 294.65   | 5.05       | 8.13   | 36     | 0.01 |       |      | 28   | 7                 | 8.43     |        |
| and                           |       | 448      | 449.35   | 1.35       | 4.15   | -      | 0.01 |       |      | 1    | 1                 | 4.04     |        |
| <b>APC-92</b>                 | 14    | 93.85    | 245.05   | 151.2      | 0.81   | 12     | 0.09 |       |      | 13   | 55                | 1.12     |        |
| Incl                          |       | 189.9    | 245.05   | 55.15      | 1.88   | 23     | 0.19 |       |      | 13   | 121               | 2.5      |        |
| and                           |       | 321.4    | 407.4    | 86         | 0.26   | 7      | 0.09 |       |      | 21   | 88                | 0.55     |        |
| <b>APC-93</b>                 | 14    | 127.25   | 687.3    | 560.05     | 1.18   | 34     | 0.13 |       |      | 4    | 52                | 1.83     |        |
| incl                          |       | 219.6    | 331.6    | 112        | 2.4    | 110    | 0.43 |       |      | 5    | 59                | 4.52     |        |
| and incl                      |       | 396.9    | 507.65   | 110.75     | 2.49   | 16     | 0.04 |       |      | 5    | 43                | 2.73     |        |
| and                           |       | 788.1    | 823      | 34.9       | 0.98   | 8      | 0.03 |       |      | 16   | 7                 | 1.1      |        |
| and                           |       | 898      | 940      | 42         | 0.72   | 4      | 0.02 |       |      | 25   | 7                 | 0.79     |        |
| and                           |       | 1,036.75 | 1,103.25 | 66.5       | 1.12   | 5      | 0.02 |       |      | 19   | 6                 | 1.18     |        |
| incl.                         |       | 1,049.15 | 1,065.90 | 16.75      | 2.4    | 9      | 0.02 |       |      | 22   | 6                 | 2.48     |        |



# Drilling Results - Guayabales Project



| Hole #        | Pad # | From (m) | To (m)   | Length (m) | Au g/t | Ag g/t | Cu % | Zn % | Pb % | Mo % | WO <sub>3</sub> % | AuEq g/t | CuEq % |
|---------------|-------|----------|----------|------------|--------|--------|------|------|------|------|-------------------|----------|--------|
| <b>APC-95</b> | 14    | 5.75     | 23.75    | 18         | 0.96   | 17     | 0.03 |      |      | 3    | 14                | 1.18     |        |
| and           |       | 92.65    | 103.65   | 11         | 1.01   | 5      | 0.03 |      |      | 5    | 5                 | 1.09     |        |
| and           |       | 207.2    | 720.9    | 513.7      | 1.5    | 42     | 0.18 |      |      | 3    | 8                 | 2.2      |        |
| incl.         |       | 295.4    | 412.35   | 116.95     | 3.73   | 76     | 0.26 |      |      | 2    | 10                | 4.88     |        |
| <b>APC-97</b> | 14    | 192      | 1,017.70 | 825.7      | 0.83   | 15     | 0.09 |      |      | 4    | 8                 | 1.11     |        |
| incl          |       | 205.3    | 310.55   | 105.25     | 0.78   | 52     | 0.48 |      |      | 9    | 18                | 2.02     |        |
| & incl.       |       | 479.1    | 554      | 74.9       | 1.81   | 19     | 0.05 |      |      | 5    | 7                 | 2.06     |        |
| & incl.       |       | 825.05   | 879.6    | 54.55      | 1.91   | 7      | 0.02 |      |      | 1    | 8                 | 1.97     |        |
| & incl.       |       | 909.3    | 927.35   | 18.05      | 2.37   | 11     | 0.03 |      |      | 2    | 7                 | 2.46     |        |



# Drilling Results - Guayabales Project

## Olympus Target

Status: Drilling Underway

Initial Discovery Announced: March 15, 2022

Highlights include:

| Hole #        | From (m) | To (m) | Length (m) | Au g/t | Ag g/t | Cu%  | Zn % | Pb%  | Mo %  | AuEq g/t |
|---------------|----------|--------|------------|--------|--------|------|------|------|-------|----------|
| <b>OLCC-3</b> | 61.7     | 363.6  | 301.90     | 0.89   | 12     | 0.03 | 0.03 | 0.03 | 0.002 | 1.11     |
| <b>OLCC-3</b> | 486.7    | 520.9  | 34.20      | 0.74   | 8      | 0.03 | 0.04 | 0.03 | 0.001 | 0.9      |
| <b>OLCC-4</b> | 73       | 289.7  | 216.70     | 0.79   | 14     | 0.04 | 0.02 | 0.03 | 0.004 | 1.08     |
| <b>OLCC-4</b> | 480.3    | 590.4  | 110.10     | 0.69   | 7      | 0.02 | 0.03 | 0.03 | 0.001 | 0.82     |
| <b>OLCU-2</b> | 172.6    | 227.85 | 55.25      | 1.75   | 11     |      |      | 0.02 | 0.003 | 1.91     |

## Trap Target

Status: Drilling Underway

Initial Discovery Announced: September 27, 2022

Highlights include:

| Hole #        | From (m) | To (m) | Length (m) | Au g/t | Ag g/t | Cu%  | Zn % | Pb%  | Mo %  | AuEq g/t |
|---------------|----------|--------|------------|--------|--------|------|------|------|-------|----------|
| <b>TRC-1</b>  | 233.80   | 336.00 | 102.20     | 1.26   | 12     | 0.09 | 0.08 | 0.01 | 0.003 | 1.53     |
| Incl          | 259.10   | 269.00 | 9.90       | 3      | 25     | 0.25 | 0.03 | 0    | 0.007 | 3.65     |
|               | 294.50   | 303.70 | 9.20       | 1.82   | 31     | 0.07 | 0.27 | 0.08 | 0.003 | 2.27     |
| <b>VICE-1</b> | 212.60   | 227.30 | 14.70      | 1.14   | 26     | 0.01 | 0.07 | 0.06 | 0.001 | 1.44     |
| Incl          | 213.20   | 214.80 | 1.60       | 2.33   | 47     | 0.01 | 0.01 | 0.01 | 0     | 2.87     |
|               | 219.55   | 220.70 | 1.15       | 1.91   | 131    | 0.04 | 0.45 | 0.46 | 0.001 | 3.66     |
| and           | 253.50   | 270.50 | 17.00      | 0.69   | 6      | 0.01 | 0.14 | 0.15 | 0.001 | 0.75     |
| <b>VICE-2</b> | 214.60   | 233.50 | 18.90      | 1.06   | 36     | 0.18 | 0.18 | 0.12 | 0.005 | 1.83     |
| Incl          | 214.60   | 216.60 | 2.00       | 3.55   | 208    | 0.17 | 0.17 | 0.99 | 0.012 | 6.51     |



| Hole #          | From (m) | To (m) | Length (m) | Au g/t | Ag g/t | Cu%  | Zn % | Pb% | Mo %  | AuEq g/t    |
|-----------------|----------|--------|------------|--------|--------|------|------|-----|-------|-------------|
| <b>TRC-2</b>    | 19.5     | 665.5  | 646        | 0.71   | 6      | 0.02 |      |     | 0.001 | <b>0.81</b> |
| <b>incl</b>     | 19.5     | 321    | 301.5      | 0.84   | 7      | 0.04 |      |     | 0.003 | <b>1.01</b> |
| <b>and incl</b> | 385.6    | 477.3  | 91.7       | 0.96   | 4      | -    |      |     | -     | <b>1</b>    |
| <b>TRC-3</b>    | 86.8     | 246.55 | 159.75     | 0.69   | 15     | 0.07 |      |     | 0.004 | <b>1.04</b> |
| <b>Incl</b>     | 188      | 235    | 47         | 1.68   | 28     | 0.12 |      |     | 0.003 | <b>2.25</b> |
| <b>and</b>      | 359.35   | 432.05 | 72.7       | 0.61   | 6      | 0.04 |      |     | 0.003 | <b>0.77</b> |



# Drilling Results - Guayabales Project

## Plutus Target

Status: Drilling in Q4 2024

Initial Discovery Announced: October 18, 2021

Highlights include:

| Hole #       | From (m) | To (m) | Length (m) | Au g/t | Ag g/t | Cu % | Zn%  | Pb%  | Mo %  | AuEq g/t |
|--------------|----------|--------|------------|--------|--------|------|------|------|-------|----------|
| <b>DOC-2</b> | 0        | 104    | 104.00     | 1.21   | 12     | 0.03 | 0.04 | 0.03 | 0.002 | 1.42     |
| incl         | 16       | 34     | 18.00      | 4.78   | 10     | 0.05 | 0.03 | 0.01 | 0.001 | 4.81     |
| <b>DOC-3</b> | 0        | 163    | 163.00     | 1.17   | 10     | 0.02 | 0.03 | 0.01 | 0.002 | 1.32     |
| incl         | 155.6    | 157.1  | 1.50       | 83.23  | 37     | 0.04 | 0.06 | 0.04 | 0.001 | 79.73    |
| <b>PNC-1</b> | 2.9      | 25.35  | 22.45      | 0.19   | 1      | 0.04 |      |      | 0.006 | 0.32     |
| and          | 53       | 138.05 | 85.05      | 0.18   | 1      | 0.06 |      |      | 0.003 | 0.31     |
| and          | 169.75   | 209.10 | 39.35      | 0.11   | 4      | 0.09 |      |      | 0.004 | 0.35     |
| and          | 254.90   | 279.30 | 24.40      | 0.11   | 5      | 0.07 |      |      | 0.006 | 0.35     |
| and          | 312.10   | 343.45 | 31.35      | 0.25   | 6      | 0.09 |      |      | 0.006 | 0.53     |
| <b>PNC-2</b> | 65.3     | 100.4  | 35.1       | 0.2    | 2      | 0.1  |      |      | 0.002 | 0.41     |
| and          | 143.2    | 329    | 185.8      | 0.59   | 13     | 0.02 |      |      | 0.002 | 0.81     |
| and          | 369.35   | 505.8  | 136.45     | 0.97   | 20     | 0.04 |      |      | 0.002 | 1.31     |
| and incl     | 462.35   | 505.3  | 42.95      | 1.9    | 28     | 0.08 |      |      | 0.002 | 2.39     |
| <b>PNC-5</b> | 4.4      | 309    | 304.6      | 0.58   | 9      | 0.03 |      |      | 0.003 | 0.76     |
| incl         | 96.75    | 144.65 | 47.9       | 1.11   | 10     | 0.01 |      |      | 0.001 | 1.25     |
| and incl     | 255      | 309    | 54         | 1.44   | 16     | 0.02 |      |      | 0.003 | 1.69     |