



Drilling Results - Guayabales Project

Apollo Target

Status: Drilling Underway (Multiple Rigs)
Initial Discovery Announced: June 22, 2022

Highlights include:

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	WO ₃ %	AuEq g/t*	CuEq %*
APC-1	1	291.6	379.4	87.8	0.88	61	0.39	0.07	0.05	0.001		2.49	1.21
APC1-W	1	293	382.4	89.4	0.89	58	0.39	0.07	0.06	0.001		2.46	1.25
APC-2	2	154.7	361.9	207.15	1.46	45	0.31	0.08	0.05	0.002		2.68	1.37
incl		192.5	209.9	17.4	6.57	44	0.08	0.29	0.23	0.003		7.33	
		270.6	291.6	20.95	3.67	68	0.41	0.03	0.03	0.002		5.21	
APC-3	3	303.4	484	180.6	1.52	39	0.16	0.13	0.11	0.001		2.43	
APC-4	2	132.3	149.8	17.5	12.79	21	0.03	0.11	0.05	0.001		12.61	
APC-5	2	210.25	478.25	268	0.89	22	0.13	0.11	0.07	0.002		1.5	
APC-6	3	364.6	690.65	326.05	0.85	10	0.04	0.04	0.02	0.001		1.07	
incl		480.15	631.65	151.5	0.96	11	0.04	0.06	0.03	0.001		1.2	
		680.1	690.65	10.55	4.67	7	0.05	0.01	0	0		4.64	
APC-7	1	85.65	111.2	25.55	0.4	23	0.02	0.08	0.04	0.002		0.69	
incl		110.1	111.2	1.1	5.62	158	0.05	1.28	0.8	0.009		7.48	
and		199.85	238.25	38.4	1.3	21	0.04	0.05	0.03	0		1.51	
APC-8	2	202	467.75	265.75	1.26	55	0.22	0.07	0.05	0.045		2.44	1.24
incl		202	215.2	13.2	3.68	27	0.03	0.32	0.24	0.238		4.29	
		239.05	257.5	18.45	3.48	53	0.12	0.24	0.22	0.216		4.55	
		279.4	307.85	28.45	3.7	24	0.16	0.03	0.02	0.016		4.18	
		342.6	358.1	15.5	2.15	158	0.47	0.13	0.1	0.104		5.21	
APC-9	1	No Significant Values											
APC-10	3	No Significant Values											
APC-11	2	55	55.6	0.6	7.73	28	0.02	0.07	0.47	0.001		8.02	
		157.55	158.1	0.55	1.88	61	0.06	0.58	0.68	0.001		3.48	
		160	161.2	1.2	2.89	113	0.07	0.74	1.49	0.001		5.64	
		173.6	174.25	0.65	5.95	18	0.02	0.14	0.17	0.002		6.13	
		231	231.65	0.65	11.8	12	0.01	0.54	0.13	0.001		11.9	
		234.7	235.45	0.75	2.42	50	0.02	0.14	0.89	0.001		3.51	
		237.1	238.45	1.35	4.22	11	0.02	0.08	0.08	0.001		4.3	



Drilling Results - Guayabales Project

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	WO ₃ %	AuEq g/t*	CuEq %*	
APC-12	4	191.35	429.05	237.7	1.15	72	0.38	0.08	0.07	0.001		2.88	1.47	
		incl	209.7	224	14.3	4.01	77	0.21	0.27	0.26	0.001		5.58	
			339.55	361.3	21.75	3.84	210	0.68	0.37	0.45	0.001		8.27	
			416.9	429.05	12.15	3.64	84	0.22	0.04	0.06	0.001		5.09	
APC-13	2	126.4	143.2	16.8	4.24	19	0.01	0.24	0.21	0.001		4.6		
		incl	128.95	132.85	3.9	9.73	34	0.02	0.46	0.32	0		10.25	
			141.2	143.2	2	15.54	65	0.02	1.03	1.1	0.001		16.99	
APC-14	3	84.25	131.7	47.45	0.81	13	0.2	0.01	0	0.003		1.36	0.7	
			197	391.3	194.3	0.39	56	0.44	0.03	0.01	0.002		2	1.02
APC-15	3	54.2	110.25	56.05	0.37	5	0.01	0.01	0	-		0.57		
		incl	180.95	181.65	0.7	13.29	9	-	0.01	0.01	-		12.81	
		and	206.95	207.5	0.55	7.87	5	-	0.01	0	-		7.61	
APC-16	4	No Significant Values												
APC-17	3	118.2	190.5	72.3	1	28	0.63	0.02	-	0.004		2.57	1.31	
		incl	121.9	130.4	8.5	2.42	30	0.61	0.03	-	0.005		3.91	2
		and	365.15	912.8	547.65	0.76	14	0.04	0.06	0.04	0.001		1.03	
		incl	816	837.5	21.5	1.53	28	0.09	0.04	0.02	0.001		2.04	
APC-18	4	136.05	304.65	168.6	0.98	69	0.5	0.04	0.03	0		2.91	1.48	
		incl	149.2	157	7.8	5.08	35	0.52	0.02	-	0		6.34	3.23
			193.2	205.1	11.9	2.18	154	0.77	0.18	0.2	0		5.81	2.97
			233.9	251.5	17.6	1.49	56	0.74	0.05	0.02	0		3.63	1.85
			291.65	297	5.35	3.26	10	0.11	0.01	-	0		3.47	1.77
APC-19	4	199.2	497.8	298.6	0.48	34	0.31	0.04	0.02	0		1.54	0.79	
		incl	199.2	323.5	124.3	0.62	64	0.63	0.05	0.02	0		2.72	1.39
			491.3	497.8	6.5	2.33	26	0.04	0.08	0.06	0		2.69	
APC-20	5	298.2	400.4	102.2	2.72	28	0.08	0.21	0.15	0		3.38		
		incl	324.25	357.85	33.6	6.3	45	0.08	0.42	0.33	0		7.3	
			396.6	400.4	3.8	4.16	13	0.12	0.01	-	0.001		4.39	
APC-21	3	No Significant Values												
APC-22	3	89.25	136.5	47.25	4.65	22	0.39			0.003		5.45		
			167	183.8	16.8	2.59	79	0.5			0.002		4.56	
		and	308.8	734.8	426	1.05	23	0.08			0.001		1.51	
		incl	406.15	471	64.85	3.16	33	0.08			0.001		3.67	
			568.1	593.9	25.8	2.23	25	0.05			0.001		2.59	
			665.85	681.4	15.55	1.59	26	0.07			0.001		2.04	
APC-23	5	311.35	383.05	71.7	0.86	10	0.02			0.001		1.01		
			359.1	376.4	17.3	1.47	14	0.004			0.001		1.69	
APC-24	4	101	151.6	50.6	1.15	10	0.02			0.001		1.28		
		incl	110.05	120.2	10.15	2.19	8	0.01			0.003		2.25	
			128.75	134.75	6	2.04	11	0.02			0.001		2.15	
		and	316.25	317.65	1.4	4.85	26	0.08			0.001		5.15	
APC-25	3	73	179.85	106.85	0.81	30	0.62			0.003		2.31	1.26	
		Incl.	111	125	14	2	35	0.75			0.005		3.65	2



Drilling Results - Guayabales Project

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	WO ₃ %	AuEq g/t*	CuEq %*
APC-26	4	415	726.2	311.2	0.74	16	0.05			0.001		1.04	
incl.		415	551.9	136.9	1.14	20	0.06			0.001		1.51	
APC-27	3	299.5	372.4	72.9	0.3	6	0.02			0.002		0.44	
APC-28	2	286.6	305.55	18.95	1.11	12	0.04			0.001		1.3	
and		354.7	956.35	601.65	0.89	24	0.1			0.001		1.4	
Incl		354.7	614.65	259.95	1.21	43	0.2			0.001		2.15	
		713.1	772.8	59.7	2.04	15	0.14			0.04		2.23	
		863.15	868.8	5.65	2	13	0.04			0.001		2.17	
APC-29	3	111.3	143.3	32	9.23	60	0.44			0.003		10.48	
and		194.8	203.45	8.65	0.57	82	0.27			0.001		2.26	
and		343.8	644.8	301	0.63	14	0.05			0.001		0.9	
Incl.		343.8	558.2	214.4	0.77	14	0.05			0.001		1.04	
Incl.		460	558.2	98.2	1.26	15	0.04			0.001		1.51	
APC-30	4	267.6	586.25	318.65	0.61	19	0.12			0.002		1.1	
Incl		267.6	328.4	60.8	0.17	48	0.4			0.002		1.64	
		472.3	553.7	81.4	1.95	18	0.04			0.002		2.22	
APC-31	6	4.9	389.6	384.7	1.17	43	0.37			0.02		2.46	
Incl		4.9	325.7	320.8	1.34	49	0.44			0.02		2.84	
		4.9	114.7	109.8	3.15	45	0.25			0.01		4.14	
		4.9	47.25	42.35	4.81	23	0.09			0.001		5.08	
APC-33	6	6.65	381.35	374.7	0.85	53	0.34			0.002		2.22	1.21
Incl		6.65	49.5	42.85	3.87	40	0.12			0.001		4.5	
APC-35	6	7	366.15	359.15	1.84	48	0.48			0.002		3.32	1.82
Incl		7	42.3	35.3	7.96	22	0.09			0.001		8.06	
		318.3	366.15	47.85	5.47	19	0.05			0.002		5.58	
APC-36	7	2.8	113.2	110.4	1.73	9	0.14			0.004		2.08	1.11
Incl**		2.8	22.35	19.55	2.57	11	0.11			0.002		2.86	
		102.05	113.2	11.15	6.84	14	0.28			0.006		7.36	
APC-38	7	-	169.95	169.95	1.36	19	0.32			0.002		2.15	1.15
Incl**		-	20.95	20.95	3.12	2	0.1			0.002		3.24	
		156.6	169.95	13.35	2.28	32	0.63			0.002		3.74	
APC-39	6	8	284.3	276.3	2.12	36	0.22			0.001		2.95	1.57
Incl**		8	41	33	4.44	26	0.11			0.001		4.87	
		75.8	93.55	17.75	2.84	36	0.4			0.001		3.94	
		185.8	196.95	11.15	3.55	18	0.04			0.001		3.78	
APC-40	7	1.5	170.75	169.25	1.93	19	0.38			0.003		2.81	1.5
Incl**		1.5	18.25	16.75	2.9	16	0.18			0.002		3.37	
		18.25	30.2	11.95	9.45	8	0.16			0.002		9.57	
		87.85	132.7	44.85	2.58	30	0.61			0.005		3.99	
APC-41	6	1.65	83.7	82.05	2.81	13	0.1			0.002		3.09	1.65
Incl**		1.65	29.7	28.05	3.44	15	0.07			0.001		3.67	
		83.7	140.7	57	0.24	3						0.34	
APC-42	6	0	104.8	104.8	4.21	68	0.3			0.001		5.56	2.97
Incl**		0	44.55	44.55	6.48	37	0.1			0.001		6.99	
		84.8	104.8	20	6.26	24	0.1			0.002		6.59	
APC-42		106.95	126.3	19.35	0.26	3						0.33	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	WO ₃ %	AuEq g/t*	CuEq %*
APC-43	7	-	271.3	271.3	2.37	23	0.42			0.002		3.35	1.79
Incl**		-	19.3	19.3	4.02	6	0.16			0.002		4.28	
		19.3	51.6	32.3	4.39	9	0.14			0.004		4.65	
		127.8	144.7	16.9	4.02	17	0.32			0.002		4.71	
		214.7	256.75	42.05	5.07	12	0.11			0.002		5.29	
APC-44	6	2	430.2	428.2	0.61	29	0.24			0.002		1.41	0.75
Incl**		2	39.55	37.55	1.81	14	0.1			0.001		2.13	
Incl		2	21.95	19.95	2.84	13	0.07			0.001		3.07	
and		148.25	166.5	18.25	3.02	83	0.65			0.002		5.21	
APC-45	7	-	162.2	162.2	2.59	29	0.56			0.003		3.9	2.08
Incl		-	17.05	17.05	3.13	16	0.13			0.001		3.5	
		17.05	54	36.95	4.93	7	0.11			0.003		5.08	
		127.9	155	27.1	4.2	54	1.09			0.003		6.7	
APC-47	4	21	49.25	28.25	0.77	10						0.93	
		100.95	108.75	7.8	0.92	8						1.03	
APC-46	6	5.75	363.75	358	0.55	31	0.32			0.002		1.52	0.81
Incl**		5.75	34	28.25	2.06	22	0.1			0.001		2.48	
incl		5.75	25	19.25	2.65	24	0.05			0.001		3.01	
and		153.05	213.6	60.55	1.13	48	0.53			0.002		2.69	
and		418.45	425.6	7.1	0.8	4	0.02			0.002		0.88	
APC-47	4	226.8	534.4	307.6	1.4	53	0.25			0.001		2.53	1.35
Incl		233.15	261.5	28.35	3.84	65	0.24			0.001		5.06	
		354.4	372.2	17.8	4.19	42	0.09			0.001		4.81	
		396	413.1	17.1	5.19	90	0.19			0.001		6.62	
APC-48	7	-	236.7	236.7	0.9	11	0.17			0.003		1.35	
Incl		-	114.4	114.4	1.71	15	0.29			0.003		2.38	1.27
		-	12.4	12.4	1.27	10	0.15			0.002		1.65	
		13.15	31.4	18.25	5.9	17	0.2			0.002		6.32	
And incl		128.1	236.7	108.6	0.16	8	0.06			0.004		0.4	
APC-50	9	53.3	191	137.7	0.74	52	0.66			0.002		2.6	1.39
incl		64.95	93.5	28.55	0.87	79	0.93			0.003		3.55	
and incl		180.7	187.7	7	2.74	9	0.05			0.002		2.9	
APC-51	9	163.3	275.85	112.55	1.27	22	0.41			0.002		2.26	1.2
incl		198.25	219.35	21.1	1.5	39	0.72			0.002		3.25	
and incl		260.8	275.85	15.05	2.72	13	0.14			0.002		3.08	
APC-52	10	1.9	192.2	190.3	1.19	43	0.41			0.001		2.46	1.31
incl		56.95	91	34.05	4.73	26	0.12			0.001		5.16	
and incl		157	182.8	25.8	0.46	138	0.75			0.002		3.76	
APC-53	10	0	145	145	1.79	22	0.03			0.001		2.11	
incl		21	58.3	37.3	2.91	15	0.02			-		3.06	
and incl		89.4	114.8	25.4	3.03	52	0.07			0.002		3.8	
and incl		129	144.4	15.4	2.96	24	0.04			0.001		3.28	
and		232.95	562.7	329.75	2.3	42	0.16			0.001		3.1	
Incl		277.65	334.25	56.6	8.58	97	0.21			0.001		10.05	
		410.7	429.8	19.1	3.08	19	0.04			-		3.32	



Drilling Results - Guayabales Project

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	WO ₃ %	AuEq g/t*	CuEq %*
APC-49	6	5.65	852.9	847.25	0.64	16	0.14			0.001		1.09	
incl		5.65	28.55	22.9	1.13	11	0.06			0.001		1.36	
and incl		76.6	240.6	164	0.44	40	0.47			0.002		1.77	
and incl		253.8	293.85	40.05	0.25	32	0.46			0.001		1.46	
and incl		443.85	466.1	22.25	1.14	12	0.03			0.002		1.36	
and incl		491.45	533.8	42.35	2.65	11	0.03			0.001		2.78	
and incl		559.1	585.2	26.1	1.49	12	0.04			0		1.68	
and incl		625.6	656.55	30.95	1.8	20	0.04			0.001		2.12	
and incl		837.05	852.9	15.85	0.44	3	0.01			0.002		0.52	
APC-55	6	0	792.25	792.25	0.88	39	0.18			0.001		1.71	
incl		0	48.8	48.8	2.93	15	0.1			0.002		3.23	
and incl		49.55	80.45	30.9	1.99	14	0.13			0.001		2.35	
and incl		96	145.55	49.55	1.79	65	0.15			0.002		2.93	
and incl		184.7	206.25	21.55	2.97	38	0.14			0.001		3.66	
and incl		364.15	395.2	31.05	1.56	47	0.12			0		2.37	
and incl		431.75	453.4	21.65	1.75	36	0.09			0.001		2.36	
and incl		591.5	608	16.5	1.99	22	0.05			0.001		2.34	
APC-54	9	358.1	409.25	51.15	1.46	13	0.1			0.003		1.79	
incl		390.65	409.25	18.6	1.3	25	0.2			0.004		2	
and		490.05	583.25	93.2	0.33	10	0.12			0.002		0.69	
incl		541.8	569.2	27.4	0.53	18	0.21			0.002		1.12	
and		627.9	629.75	1.85	0.1	24	0.22			0.003		0.82	
APC-56	10	-	116.3	116.3	0.71	11	0.02			0.002		0.89	
incl		-	30.25	30.25	1.03	14	0.01			-		1.23	
and incl		88.95	100.45	11.5	1.8	21	0.02			0.003		2.11	
and		144.35	233.15	88.8	0.41	6	0.02			0.001		0.52	
and		311.5	389	77.5	0.52	6	0.01			0.001		0.62	
incl		365.45	384.35	18.9	1.15	8	0.01			-		1.25	
APC-57					No Significant Values								
APC-58	10	-	270.75	270.75	1.08	34	0.35			0.002		2.11	
incl		-	51	51	1.98	10	0.05			0.001		2.16	
and incl		117.8	171.8	54	0.56	76	0.74			0.002		2.83	
and incl		220.7	234.9	14.2	2.39	18	0.05			0.003		2.68	
and incl		247.65	266.95	19.3	1.9	17	0.11			0.002		2.3	
APC-59	10	-	163.25	163.25	1.76	38	0.23			0.003		2.66	
incl		-	24.75	24.75	2.62	36	0.06			0.002		3.16	
and incl		46.2	72.6	26.4	0.76	80	0.7			0.003		3.04	
and incl		83.3	102.3	19	8.47	36	0.22			0.003		9.1	
APC-60	9	41.6	599.45	557.85	0.74	59	0.33			0.001		2.1	
and incl		149.4	391.2	241.8	0.63	109	0.67			0.001		3.25	
and incl		409.3	430.7	21.4	3.64	47	0.13			0.001		4.41	
and incl		593	599.45	6.45	0.67	34	0.11			0.001		1.33**	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	WO ₃ %	AuEq g/t*	CuEq %*
APC-61	6	0	217.55	217.55	0.97	51	0.41			0.002		2.35	
incl		130.55	148.2	17.65	2.15	162	0.83			0.003		5.76	
and incl		160.05	187.55	27.5	2.8	28	0.32			0.002		3.65	
APC-62	10	0	161.3	161.3	1.13	61	0.45			0.002		2.71	
Incl		26.45	60.05	33.6	4.21	34	0.2			0.002		4.91	
and		203.6	237.6	34	1.87	28	0.42			0.002		2.92	
Incl		204.8	220.9	16.1	2.58	30	0.56			0.003		3.87	
APC-63		-	593.65	593.65	1.46	15	0.03			0.001		1.69	
Incl		-	353.1	353.1	1.16	15	0.02			0.002		1.39	
and incl		353.1	593.65	240.55	1.9	15	0.03			0.001		2.12	
APC-64		33.4	484.8	451.4	1.48	57	0.26			0.001		2.67	
Incl		34.65	133.15	98.5	3.13	16	0.05			0.001		3.36	
and incl		309.4	380.35	70.95	2.05	104	0.38			0.001		4.1	
APC-66		245.15	267.4	22.25	0.28	12	0.04			-		0.51	
And		292.5	393.55	101.05	0.62	14	0.04			0.001		0.87	
Incl		348.1	362.25	14.15	0.89	19	0.04			0.001		1.21	
and incl		384	393.55	9.55	2.27	39	0.1			0.005		2.96	
APC-67		109.25	162.8	53.55	1.13	11	0.02			0.002		1.31	
Incl		112.2	136.85	24.65	2.21	19	0.03			0.002		2.47	
APC-65	10	-	503.25	503.25	1.55	23	0.1			0.001		2	
Incl		126.9	183.55	56.65	4.75	9	0.02			0.001		4.78	
and Incl		282	307.85	25.85	1.94	63	0.29			0.001		3.26	
and Incl		325.6	389.8	64.2	1.95	30	0.06			0.001		2.42	
and Incl		423.1	465.45	42.35	3.12	21	0.04			0.001		3.41	
APC-68	1	76.5	122	45.5	0.82	18	0.03			0.005		1.14	
Incl		76.5	79.4	2.9	10.05	52	0.02			0.002		10.55	
and Incl		98.15	98.9	0.75	4.47	270	0.06			0.004		8.33	
and Incl		105.05	106.05	1	0.73	132	0.05			0.008		2.75	
and Incl		112.65	114.8	2.15	0.65	55	0.02			0.005		1.49	
APC-69	10	0.3	78.65	78.35	1.12	13	0.02			0		1.32	
Incl		55	60.65	5.65	5.33	84	0.04			0.001		6.44	
and		221.4	299.7	78.3	0.64	8	0.05			0		0.82	
Incl		257.7	265.4	7.7	1.61	29	0.23			0		2.35	
APC-71	5	6	96.75	90.75	0.1	23	0.04			0.003		0.53	
Incl		70.2	96.75	26.55	0.29	64	0.04			0.004		1.3	
and		131.95	189	57.05	0.54	10	0.02			0		0.7	
Incl		131.95	148.9	16.95	1.21	24	0.04			0		1.58	
APC-72	10	2	521.1	519.1	2.12	36	0.1			0.001		2.74	
incl		2	229.75	227.75	1.49	21	0.05			0.001		1.84	
and incl		230.3	521.1	290.8	2.62	47	0.14			0.001		3.45	
APC-73	3	114.3	194	79.7	0.29	9	0.05			0.003		0.53	
Incl		152.65	172.35	19.7	0.59	18	0.06			0.002		0.96	
and		290.75	344.15	53.4	0.18	9	0.12			0.003		0.52	



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	WO ₃ %	AuEq g/t*	CuEq %*
APC-74	5	33.95	62.3	28.35	0.74	31	0.06			0.002		1.28	
Incl		33.95	47.4	13.45	1.15	44	0.09			0.002		1.9	
and		272.2	494.55	222.35	1.61	25	0.09			0.001		2.07	
Incl		272.2	325.8	53.6	0.73	19	0.07			0.001		1.09	
and Incl		325.8	494.55	168.75	1.89	27	0.09			0.002		2.38	
APC-75	3	7	116.15	109.15	0.27	6	0.05			0.002	0.01	0.46	
Incl		109.75	116.15	6.4	3.42	9	0.04			0.003	-	3.54	
and		302.25	337.05	34.8	0.23	21	0.06			0.005	-	0.66	
Incl		333.4	335.1	1.7	3.87	351	0.07			0.003	-	9.21	
APC-76	5	Hole abandoned due to technical issues											
APC-77	3	52.4	88.5	36.1	0.08	10	0.07			0.003	-	0.36	
APC-79	3	No significant interval; drilled outside the Apollo intrusion											
APC-80	12	119.9	250.35	130.45	1.3	33	0.19			0.001	0.03	2.17	
Incl		139	155.3	16.3	2.72	23	0.05			0.002	0.01	3.11	
and Incl		159.05	173.1	14.05	0.87	55	0.16			0.002	0.26	2.76	
and Incl		213.5	250.35	36.85	2.57	16	0.13			0.001	-	2.95	
APC-82	12	70	105.8	35.8	0.46	8	0.01			-	-	0.58	
and		132.35	231.1	98.75	1.27	52	0.39			-	0.03	2.71	
Incl		152.2	175.05	22.85	1.27	22	0.06			-	0.02	1.69	
and Incl		175.05	204.65	29.6	1.81	82	0.75			0.001	0.09	4.43	
and Incl		204.65	231.1	26.45	1.42	79	0.54			0.001	0.01	3.42	
APC-84	12	120	173.7	53.7	0.51	10	0.02			0.001	-	0.67	
Incl		147.5	166.2	18.7	1.05	15	0.02			0.001	-	1.29	
and		257.6	269.25	11.65	0.93	5	0.03			0.002	0.01	1.08	



Drilling Results - Guayabales Project

Olympus Target

Status: Phase III drilling in 2024

Initial Discovery Announced: March 15, 2022

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*
OLCC-3	61.7	363.6	301.90	0.89	12	0.03	0.03	0.03	0.002	1.11
OLCC-3	486.7	520.9	34.20	0.74	8	0.03	0.04	0.03	0.001	0.9
OLCC-4	73	289.7	216.70	0.79	14	0.04	0.02	0.03	0.004	1.08
OLCC-4	480.3	590.4	110.10	0.69	7	0.02	0.03	0.03	0.001	0.82
OLCU-2	172.6	227.85	55.25	1.75	11			0.02	0.003	1.91

Donut Target

Status: Phase II drilling in 2023

Initial Discovery Announced: October 18, 2021

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*
DOC-2	0	104	104.00	1.21	12	0.03	0.04	0.03	0.002	1.42
Incl	16	34	18.00	4.78	10	0.05	0.03	0.01	0.001	4.81
DOC-3	0	163	163.00	1.17	10	0.02	0.03	0.01	0.002	1.32
Incl	155.6	157.1	1.50	83.23	37	0.04	0.06	0.04	0.001	79.73
DOC-8	18	125.65	107.65	0.78	21	0.02	0.04	0.01	0.001	1.13
Incl	27.9	30.4	2.50	15.62	6	0.03	0.07	0.03	0.001	14.99



Drilling Results - Guayabales Project

Trap and Victory Targets

Status: Phase II drilling in 2024

Initial Discovery Announced: September 27, 2022

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*
TRC-1	233.80	336.00	102.20	1.26	12	0.09	0.08	0.01	0.003	1.53
Incl	259.10	269.00	9.90	3	25	0.25	0.03	0	0.007	3.65
	294.50	303.70	9.20	1.82	31	0.07	0.27	0.08	0.003	2.27
VICE-1	212.60	227.30	14.70	1.14	26	0.01	0.07	0.06	0.001	1.44
Incl	213.20	214.80	1.60	2.33	47	0.01	0.01	0.01	0	2.87
	219.55	220.70	1.15	1.91	131	0.04	0.45	0.46	0.001	3.66
and	253.50	270.50	17.00	0.69	6	0.01	0.14	0.15	0.001	0.75
VICE-2	214.60	233.50	18.90	1.06	36	0.18	0.18	0.12	0.005	1.83
Incl	214.60	216.60	2.00	3.55	208	0.17	0.17	0.99	0.012	6.51