



Drilling Results - Guayabales Project

Apollo Target

Status: Drilling Underway (Multiple Rigs)
Initial Discovery Announced: June 22, 2022

Highlights include:

Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*	CuEq %*
APC-1	1	291.6	379.4	87.8	0.88	61	0.39	0.07	0.05	0.001	2.49	1.21
APC1-W	1	293	382.4	89.4	0.89	58	0.39	0.07	0.06	0.001	2.46	1.25
APC-2	2	154.7	361.9	207.15	1.46	45	0.31	0.08	0.05	0.002	2.68	1.37
incl		192.5	209.9	17.4	6.57	44	0.08	0.29	0.23	0.003	7.33	
		270.6	291.6	20.95	3.67	68	0.41	0.03	0.03	0.002	5.21	
APC-3	3	303.4	484	180.6	1.52	39	0.16	0.13	0.11	0.001	2.43	
APC-4	2	132.3	149.8	17.5	12.79	21	0.03	0.11	0.05	0.001	12.61	
APC-5	2	210.25	478.25	268	0.89	22	0.13	0.11	0.07	0.002	1.5	
APC-6	3	364.6	690.65	326.05	0.85	10	0.04	0.04	0.02	0.001	1.07	
incl		480.15	631.65	151.5	0.96	11	0.04	0.06	0.03	0.001	1.2	
		680.1	690.65	10.55	4.67	7	0.05	0.01	0	0	4.64	
APC-7	1	85.65	111.2	25.55	0.4	23	0.02	0.08	0.04	0.002	0.69	
incl		110.1	111.2	1.1	5.62	158	0.05	1.28	0.8	0.009	7.48	
and		199.85	238.25	38.4	1.3	21	0.04	0.05	0.03	0	1.51	
APC-8	2	202	467.75	265.75	1.26	55	0.22	0.07	0.05	0.045	2.44	1.24
incl		202	215.2	13.2	3.68	27	0.03	0.32	0.24	0.238	4.29	
		239.05	257.5	18.45	3.48	53	0.12	0.24	0.22	0.216	4.55	
		279.4	307.85	28.45	3.7	24	0.16	0.03	0.02	0.016	4.18	
		342.6	358.1	15.5	2.15	158	0.47	0.13	0.1	0.104	5.21	
APC-9	1	No Significant Values										
APC-10	3	No Significant Values										



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*	CuEq %*	
APC-11	2	55	55.6	0.6	7.73	28	0.02	0.07	0.47	0.001	8.02		
		157.55	158.1	0.55	1.88	61	0.06	0.58	0.68	0.001	3.48		
		160	161.2	1.2	2.89	113	0.07	0.74	1.49	0.001	5.64		
		173.6	174.25	0.65	5.95	18	0.02	0.14	0.17	0.002	6.13		
		231	231.65	0.65	11.8	12	0.01	0.54	0.13	0.001	11.9		
		234.7	235.45	0.75	2.42	50	0.02	0.14	0.89	0.001	3.51		
		237.1	238.45	1.35	4.22	11	0.02	0.08	0.08	0.001	4.3		
APC-12	4	191.35	429.05	237.7	1.15	72	0.38	0.08	0.07	0.001	2.88	1.47	
		incl	209.7	224	14.3	4.01	77	0.21	0.27	0.26	0.001	5.58	
		339.55	361.3	21.75	3.84	210	0.68	0.37	0.45	0.001	8.27		
		416.9	429.05	12.15	3.64	84	0.22	0.04	0.06	0.001	5.09		
APC-13	2	126.4	143.2	16.8	4.24	19	0.01	0.24	0.21	0.001	4.6		
		incl	128.95	132.85	3.9	9.73	34	0.02	0.46	0.32	0	10.25	
		141.2	143.2	2	15.54	65	0.02	1.03	1.1	0.001	16.99		
APC-14	3	84.25	131.7	47.45	0.81	13	0.2	0.01	0	0.003	1.36	0.7	
		incl	197	391.3	194.3	0.39	56	0.44	0.03	0.01	0.002	2	1.02
APC-15	3	54.2	110.25	56.05	0.37	5	0.01	0.01	0	-	0.57		
		incl	180.95	181.65	0.7	13.29	9	-	0.01	0.01	-	12.81	
		and	206.95	207.5	0.55	7.87	5	-	0.01	0	-	7.61	
APC-16	4	No Significant Values											
APC-17	3	118.2	190.5	72.3	1	28	0.63	0.02	-	0.004	2.57	1.31	
		incl	121.9	130.4	8.5	2.42	30	0.61	0.03	-	0.005	3.91	2
		and	365.15	912.8	547.65	0.76	14	0.04	0.06	0.04	0.001	1.03	
		incl	816	837.5	21.5	1.53	28	0.09	0.04	0.02	0.001	2.04	
APC-18	4	136.05	304.65	168.6	0.98	69	0.5	0.04	0.03	0	2.91	1.48	
		incl	149.2	157	7.8	5.08	35	0.52	0.02	-	0	6.34	3.23
		193.2	205.1	11.9	2.18	154	0.77	0.18	0.2	0	5.81	2.97	
		233.9	251.5	17.6	1.49	56	0.74	0.05	0.02	0	3.63	1.85	
		291.65	297	5.35	3.26	10	0.11	0.01	-	0	3.47	1.77	
APC-19	4	199.2	497.8	298.6	0.48	34	0.31	0.04	0.02	0	1.54	0.79	
		incl	199.2	323.5	124.3	0.62	64	0.63	0.05	0.02	0	2.72	1.39
		491.3	497.8	6.5	2.33	26	0.04	0.08	0.06	0	2.69		
APC-20	5	298.2	400.4	102.2	2.72	28	0.08	0.21	0.15	0	3.38		
		incl	324.25	357.85	33.6	6.3	45	0.08	0.42	0.33	0	7.3	
		396.6	400.4	3.8	4.16	13	0.12	0.01	-	0.001	4.39		
APC-21	3	No Significant Values											
APC-22	3	89.25	136.5	47.25	4.65	22	0.39			0.003	5.45		
		incl	167	183.8	16.8	2.59	79	0.5			0.002	4.56	
		and	308.8	734.8	426	1.05	23	0.08			0.001	1.51	
		incl	406.15	471	64.85	3.16	33	0.08			0.001	3.67	
		568.1	593.9	25.8	2.23	25	0.05			0.001	2.59		
665.85	681.4	15.55	1.59	26	0.07			0.001	2.04				



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*	CuEq %*	
APC-23	5	311.35	383.05	71.7	0.86	10	0.02			0.001	1.01		
		359.1	376.4	17.3	1.47	14	0.004			0.001	1.69		
APC-24	4	101	151.6	50.6	1.15	10	0.02			0.001	1.28		
		incl	110.05	120.2	10.15	2.19	8	0.01			0.003	2.25	
		128.75	134.75	6	2.04	11	0.02			0.001	2.15		
		and	316.25	317.65	1.4	4.85	26	0.08		0.001	5.15		
APC-25	3	73	179.85	106.85	0.81	30	0.62			0.003	2.31	1.26	
		Incl.	111	125	14	2	35	0.75			0.005	3.65	2
APC-26	4	415	726.2	311.2	0.74	16	0.05			0.001	1.04		
		incl.	415	551.9	136.9	1.14	20	0.06			0.001	1.51	
APC-27	3	299.5	372.4	72.9	0.3	6	0.02			0.002	0.44		
APC-28	2	286.6	305.55	18.95	1.11	12	0.04			0.001	1.3		
		and	354.7	956.35	601.65	0.89	24	0.1			0.001	1.4	
		Incl	354.7	614.65	259.95	1.21	43	0.2			0.001	2.15	
			713.1	772.8	59.7	2.04	15	0.14			0.04	2.23	
		863.15	868.8	5.65	2	13	0.04			0.001	2.17		
APC-29	3	111.3	143.3	32	9.23	60	0.44			0.003	10.48		
		and	194.8	203.45	8.65	0.57	82	0.27			0.001	2.26	
		and	343.8	644.8	301	0.63	14	0.05			0.001	0.9	
		Incl.	343.8	558.2	214.4	0.77	14	0.05			0.001	1.04	
		Incl.	460	558.2	98.2	1.26	15	0.04			0.001	1.51	
APC-30	4	267.6	586.25	318.65	0.61	19	0.12			0.002	1.1		
		Incl	267.6	328.4	60.8	0.17	48	0.4			0.002	1.64	
			472.3	553.7	81.4	1.95	18	0.04			0.002	2.22	
APC-31	6	4.9	389.6	384.7	1.17	43	0.37			0.02	2.46		
		Incl	4.9	325.7	320.8	1.34	49	0.44			0.02	2.84	
			4.9	114.7	109.8	3.15	45	0.25			0.01	4.14	
			4.9	47.25	42.35	4.81	23	0.09			0.001	5.08	
APC-33	6	6.65	381.35	374.7	0.85	53	0.34			0.002	2.22	1.21	
		Incl	6.65	49.5	42.85	3.87	40	0.12			0.001	4.5	
APC-35	6	7	366.15	359.15	1.84	48	0.48			0.002	3.32	1.82	
		Incl	7	42.3	35.3	7.96	22	0.09			0.001	8.06	
			318.3	366.15	47.85	5.47	19	0.05			0.002	5.58	
APC-36	7	2.8	113.2	110.4	1.73	9	0.14			0.004	2.08	1.11	
		Incl**	2.8	22.35	19.55	2.57	11	0.11			0.002	2.86	
			102.05	113.2	11.15	6.84	14	0.28			0.006	7.36	
APC-38	7	-	169.95	169.95	1.36	19	0.32			0.002	2.15	1.15	
		Incl**	-	20.95	20.95	3.12	2	0.1			0.002	3.24	
			156.6	169.95	13.35	2.28	32	0.63			0.002	3.74	
APC-39	6	8	284.3	276.3	2.12	36	0.22			0.001	2.95	1.57	
		Incl**	8	41	33	4.44	26	0.11			0.001	4.87	
			75.8	93.55	17.75	2.84	36	0.4			0.001	3.94	
			185.8	196.95	11.15	3.55	18	0.04			0.001	3.78	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*	CuEq %*
APC-40	7	1.5	170.75	169.25	1.93	19	0.38			0.003	2.81	1.5
Incl**		1.5	18.25	16.75	2.9	16	0.18			0.002	3.37	
		18.25	30.2	11.95	9.45	8	0.16			0.002	9.57	
		87.85	132.7	44.85	2.58	30	0.61			0.005	3.99	
APC-41	6	1.65	83.7	82.05	2.81	13	0.1			0.002	3.09	1.65
Incl**		1.65	29.7	28.05	3.44	15	0.07			0.001	3.67	
		83.7	140.7	57	0.24	3					0.34	
APC-42	6	0	104.8	104.8	4.21	68	0.3			0.001	5.56	2.97
Incl**		0	44.55	44.55	6.48	37	0.1			0.001	6.99	
		84.8	104.8	20	6.26	24	0.1			0.002	6.59	
APC-42		106.95	126.3	19.35	0.26	3					0.33	
APC-43	7	-	271.3	271.3	2.37	23	0.42			0.002	3.35	1.79
Incl**		-	19.3	19.3	4.02	6	0.16			0.002	4.28	
		19.3	51.6	32.3	4.39	9	0.14			0.004	4.65	
		127.8	144.7	16.9	4.02	17	0.32			0.002	4.71	
		214.7	256.75	42.05	5.07	12	0.11			0.002	5.29	
APC-44	6	2	430.2	428.2	0.61	29	0.24			0.002	1.41	0.75
Incl**		2	39.55	37.55	1.81	14	0.1			0.001	2.13	
Incl		2	21.95	19.95	2.84	13	0.07			0.001	3.07	
and		148.25	166.5	18.25	3.02	83	0.65			0.002	5.21	
APC-45	7	-	162.2	162.2	2.59	29	0.56			0.003	3.9	2.08
Incl		-	17.05	17.05	3.13	16	0.13			0.001	3.5	
		17.05	54	36.95	4.93	7	0.11			0.003	5.08	
		127.9	155	27.1	4.2	54	1.09			0.003	6.7	
APC-47	4	21	49.25	28.25	0.77	10					0.93	
		100.95	108.75	7.8	0.92	8					1.03	
APC-46	6	5.75	363.75	358	0.55	31	0.32			0.002	1.52	0.81
Incl**		5.75	34	28.25	2.06	22	0.1			0.001	2.48	
incl		5.75	25	19.25	2.65	24	0.05			0.001	3.01	
and		153.05	213.6	60.55	1.13	48	0.53			0.002	2.69	
and		418.45	425.6	7.1	0.8	4	0.02			0.002	0.88	
APC-47	4	226.8	534.4	307.6	1.4	53	0.25			0.001	2.53	1.35
Incl		233.15	261.5	28.35	3.84	65	0.24			0.001	5.06	
		354.4	372.2	17.8	4.19	42	0.09			0.001	4.81	
		396	413.1	17.1	5.19	90	0.19			0.001	6.62	
APC-48	7	-	236.7	236.7	0.9	11	0.17			0.003	1.35	
Incl		-	114.4	114.4	1.71	15	0.29			0.003	2.38	1.27
		-	12.4	12.4	1.27	10	0.15			0.002	1.65	
		13.15	31.4	18.25	5.9	17	0.2			0.002	6.32	
And incl		128.1	236.7	108.6	0.16	8	0.06			0.004	0.4	
APC-50	9	53.3	191	137.7	0.74	52	0.66			0.002	2.6	1.39
incl		64.95	93.5	28.55	0.87	79	0.93			0.003	3.55	
and incl		180.7	187.7	7	2.74	9	0.05			0.002	2.9	
APC-51	9	163.3	275.85	112.55	1.27	22	0.41			0.002	2.26	1.2
incl		198.25	219.35	21.1	1.5	39	0.72			0.002	3.25	
and incl		260.8	275.85	15.05	2.72	13	0.14			0.002	3.08	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*	CuEq %*
APC-52	10	1.9	192.2	190.3	1.19	43	0.41			0.001	2.46	1.31
incl		56.95	91	34.05	4.73	26	0.12			0.001	5.16	
and incl		157	182.8	25.8	0.46	138	0.75			0.002	3.76	
APC-53	10	0	145	145	1.79	22	0.03			0.001	2.11	
incl		21	58.3	37.3	2.91	15	0.02			-	3.06	
and incl		89.4	114.8	25.4	3.03	52	0.07			0.002	3.8	
and incl		129	144.4	15.4	2.96	24	0.04			0.001	3.28	
and		232.95	562.7	329.75	2.3	42	0.16			0.001	3.1	
Incl		277.65	334.25	56.6	8.58	97	0.21			0.001	10.05	
		410.7	429.8	19.1	3.08	19	0.04			-	3.32	
APC-49	6	5.65	852.9	847.25	0.64	16	0.14			0.001	1.09	
incl		5.65	28.55	22.9	1.13	11	0.06			0.001	1.36	
and incl		76.6	240.6	164	0.44	40	0.47			0.002	1.77	
and incl		253.8	293.85	40.05	0.25	32	0.46			0.001	1.46	
and incl		443.85	466.1	22.25	1.14	12	0.03			0.002	1.36	
and incl		491.45	533.8	42.35	2.65	11	0.03			0.001	2.78	
and incl		559.1	585.2	26.1	1.49	12	0.04			0	1.68	
and incl		625.6	656.55	30.95	1.8	20	0.04			0.001	2.12	
and incl		837.05	852.9	15.85	0.44	3	0.01			0.002	0.52	
APC-55	6	0	792.25	792.25	0.88	39	0.18			0.001	1.71	
incl		0	48.8	48.8	2.93	15	0.1			0.002	3.23	
and incl		49.55	80.45	30.9	1.99	14	0.13			0.001	2.35	
and incl		96	145.55	49.55	1.79	65	0.15			0.002	2.93	
and incl		184.7	206.25	21.55	2.97	38	0.14			0.001	3.66	
and incl		364.15	395.2	31.05	1.56	47	0.12			0	2.37	
and incl		431.75	453.4	21.65	1.75	36	0.09			0.001	2.36	
and incl		591.5	608	16.5	1.99	22	0.05			0.001	2.34	
APC-54	9	358.1	409.25	51.15	1.46	13	0.1			0.003	1.79	
incl		390.65	409.25	18.6	1.3	25	0.2			0.004	2	
and		490.05	583.25	93.2	0.33	10	0.12			0.002	0.69	
incl		541.8	569.2	27.4	0.53	18	0.21			0.002	1.12	
and		627.9	629.75	1.85	0.1	24	0.22			0.003	0.82	
APC-56	10	-	116.3	116.3	0.71	11	0.02			0.002	0.89	
incl		-	30.25	30.25	1.03	14	0.01			-	1.23	
and incl		88.95	100.45	11.5	1.8	21	0.02			0.003	2.11	
and		144.35	233.15	88.8	0.41	6	0.02			0.001	0.52	
and		311.5	389	77.5	0.52	6	0.01			0.001	0.62	
incl		365.45	384.35	18.9	1.15	8	0.01			-	1.25	
APC-57		No Significant Values										
APC-58	10	-	270.75	270.75	1.08	34	0.35			0.002	2.11	
incl		-	51	51	1.98	10	0.05			0.001	2.16	
and incl		117.8	171.8	54	0.56	76	0.74			0.002	2.83	
and incl		220.7	234.9	14.2	2.39	18	0.05			0.003	2.68	
and incl		247.65	266.95	19.3	1.9	17	0.11			0.002	2.3	



Drilling Results - Guayabales Project



Hole #	Pad #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*	CuEq %*
APC-59	10	-	163.25	163.25	1.76	38	0.23			0.003	2.66	
incl		-	24.75	24.75	2.62	36	0.06			0.002	3.16	
and incl		46.2	72.6	26.4	0.76	80	0.7			0.003	3.04	
and incl		83.3	102.3	19	8.47	36	0.22			0.003	9.1	
APC-60	9	41.6	599.45	557.85	0.74	59	0.33			0.001	2.1	
and incl		149.4	391.2	241.8	0.63	109	0.67			0.001	3.25	
and incl		409.3	430.7	21.4	3.64	47	0.13			0.001	4.41	
and incl		593	599.45	6.45	0.67	34	0.11			0.001	1.33**	
APC-61	6	0	217.55	217.55	0.97	51	0.41			0.002	2.35	
incl		130.55	148.2	17.65	2.15	162	0.83			0.003	5.76	
and incl		160.05	187.55	27.5	2.8	28	0.32			0.002	3.65	
APC-62	10	0	161.3	161.3	1.13	61	0.45			0.002	2.71	
Incl		26.45	60.05	33.6	4.21	34	0.2			0.002	4.91	
and		203.6	237.6	34	1.87	28	0.42			0.002	2.92	
Incl		204.8	220.9	16.1	2.58	30	0.56			0.003	3.87	
APC-63	10	-	593.65	593.65	1.46	15	0.03			0.001	1.69	
Incl		-	353.1	353.1	1.16	15	0.02			0.002	1.39	
and incl		353.1	593.65	240.55	1.9	15	0.03			0.001	2.12	
APC-64	9	33.4	484.8	451.4	1.48	57	0.26			0.001	2.67	
Incl		34.65	133.15	98.5	3.13	16	0.05			0.001	3.36	
and incl		309.4	380.35	70.95	2.05	104	0.38			0.001	4.1	
APC-66	1	245.15	267.4	22.25	0.28	12	0.04			-	0.51	
And		292.5	393.55	101.05	0.62	14	0.04			0.001	0.87	
Incl		348.1	362.25	14.15	0.89	19	0.04			0.001	1.21	
and incl		384	393.55	9.55	2.27	39	0.1			0.005	2.96	
APC-67	5	109.25	162.8	53.55	1.13	11	0.02			0.002	1.31	
Incl		112.2	136.85	24.65	2.21	19	0.03			0.002	2.47	



Drilling Results - Guayabales Project

Olympus Target

Status: Phase III drilling in 2024

Initial Discovery Announced: March 15, 2022

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*
OLCC-3	61.7	363.6	301.90	0.89	12	0.03	0.03	0.03	0.002	1.11
OLCC-3	486.7	520.9	34.20	0.74	8	0.03	0.04	0.03	0.001	0.9
OLCC-4	73	289.7	216.70	0.79	14	0.04	0.02	0.03	0.004	1.08
OLCC-4	480.3	590.4	110.10	0.69	7	0.02	0.03	0.03	0.001	0.82
OLCU-2	172.6	227.85	55.25	1.75	11			0.02	0.003	1.91

Donut Target

Status: Phase II drilling in 2023

Initial Discovery Announced: October 18, 2021

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*
DOC-2	0	104	104.00	1.21	12	0.03	0.04	0.03	0.002	1.42
Incl	16	34	18.00	4.78	10	0.05	0.03	0.01	0.001	4.81
DOC-3	0	163	163.00	1.17	10	0.02	0.03	0.01	0.002	1.32
Incl	155.6	157.1	1.50	83.23	37	0.04	0.06	0.04	0.001	79.73
DOC-8	18	125.65	107.65	0.78	21	0.02	0.04	0.01	0.001	1.13
Incl	27.9	30.4	2.50	15.62	6	0.03	0.07	0.03	0.001	14.99



Drilling Results - Guayabales Project

Trap and Victory Targets

Status: Phase II drilling in 2024

Initial Discovery Announced: September 27, 2022

Highlights include:

Hole #	From (m)	To (m)	Length (m)	Au g/t	Ag g/t	Cu%	Zn %	Pb%	Mo %	AuEq g/t*
TRC-1	233.80	336.00	102.20	1.26	12	0.09	0.08	0.01	0.003	1.53
Incl	259.10	269.00	9.90	3	25	0.25	0.03	0	0.007	3.65
	294.50	303.70	9.20	1.82	31	0.07	0.27	0.08	0.003	2.27
VICE-1	212.60	227.30	14.70	1.14	26	0.01	0.07	0.06	0.001	1.44
Incl	213.20	214.80	1.60	2.33	47	0.01	0.01	0.01	0	2.87
	219.55	220.70	1.15	1.91	131	0.04	0.45	0.46	0.001	3.66
and	253.50	270.50	17.00	0.69	6	0.01	0.14	0.15	0.001	0.75
VICE-2	214.60	233.50	18.90	1.06	36	0.18	0.18	0.12	0.005	1.83
Incl	214.60	216.60	2.00	3.55	208	0.17	0.17	0.99	0.012	6.51